



# ATTACHMENT PRICE BOOK



REVISION : 91.11

[WWW.DIGGAEUROPE.COM](http://WWW.DIGGAEUROPE.COM)

## DIGGA PRODUCTS

A Digga Product is defined as products manufactured and or sold by Digga Australia Pty Ltd or Digga Ltd.

### Important Information

Before selecting or using a Digga product it is important that all information concerning the product warranty, limitation of liability and responsibility of the customer be reviewed. This information is located below. Please direct any questions regarding this information to your Digga Representative

### Disclaimer

This catalogue provides product options for further investigation by customers having technical expertise with respect to the use of such products. It is the responsibility of the customer to thoroughly analyse all aspects of the customer's application and to review the information concerning the product in the current product catalogue. Due to the diversity of possible applications, the customer is solely responsible for making the final selection of the product(s) to be used and to assure that all performance, safety and warning requirements of the application are met.

While Digga has made all reasonable efforts to present accurate information in this catalogue it shall not be held responsible for any incorrect information which may result from unintentional oversight. Due to continuous product improvement, the product specifications as stated in this catalogue are subject to change by Digga at any time without notice. The customer should consult a sales representative of Digga for detailed information and to determine any changes in the information in this catalogue.

Improper selection or improper use of the Digga products supplied herein can result in death, personal injury and/or property damage. Digga Australia Pty Ltd and Digga Ltd sole responsibility with respect to its products is set forth in the warranty/limitation of liability policy stated herein.

### Warranty

Digga products are sold subject to a limited warranty and a limitation of remedies policy, both of which constitute part of any and all agreements to purchase Digga products. Digga makes no other warranties or promises other than those specifically noted in its written policies, and no Digga employee or agent has the power to alter those policies

© Copyright Digga – All rights reserved.

This catalogue and/or any portion thereof protected by this copyright herein may not be reproduced in any form whatsoever without the written permission of the Copyright owner

## DIGGA GROUP TERMS AND CONDITIONS

### 1. TERMS AND CONDITIONS

The supply of all Goods by DIGGA GROUP herein after be referred to as the Supplier, shall be subject to these Terms and Conditions whether in the past, present or in the future. These Terms and Conditions shall prevail over any other terms and conditions including those implied by Statute to the extent permissible at Law. The applicant acknowledges having read the Terms and Conditions of Sale prior to signing the Application for Credit Account.

### 2. INVOICE

Goods are invoiced at the time of dispatch and includes VAT Tax and delivery where applicable.

### 3. PAYMENT TERMS

Digga Group payment terms is Thirty (30) days from invoice, with your first purchase order being C.O.D. If payment in full is not received within these terms of payment, the Supplier reserves the right to withdraw credit and supply.

### 4. RETENTION OF TITLE

- A) Until the goods, the subject of the contract, are paid in full.
- B) Ownership shall remain with the supplier but the risk shall pass to the Applicant,
- C) The relationship between the parties shall be fiduciary and the applicant shall hold the goods as bailee for the Supplier.
- D) The Supplier authorises the Applicant to on sell the goods but as agent for the Supplier. The Applicant shall however, not represent to any parties that it is in any way acting for the Suppliers and the Suppliers will not be bound by any contracts with third parties to which the Applicant is a party.
- E) In the event that the Applicant defaults or commits an act of bankruptcy or a receiver is appointed or the company goes into liquidation without prejudice to any other rights the vendor may have, the Applicant by receiving delivery of the goods authorises the Supplier to retake possession of any unpaid for goods and resell same without accounting to the applicant therefore.

### 5. WITHDRAWAL OF CREDIT

The supplier may at its sole and absolute discretion withdraw any credit facilities granted without notice.

### 6. DEFAULTS

If the Applicant defaults in paying any amount owed by the Applicant to the supplier under the terms and conditions of sale, then any amount invoiced to or owned by the Applicant to the Supplier becomes immediately payable and the Applicant agrees to indemnify the Supplier against all costs (including solicitor and own client costs, commercial agent commissions, freight, insurance, loss of profit and interest) incurred by the Supplier as a result of the Applicant's default.

### 7. PAYMENT

The Supplier may at its sole and absolute discretion appropriate any payment received from the Applicant against whatever amount is owing by the Applicant to the Supplier under the terms and conditions of sales as are due.

### 8. RIGHT TO REFUSE SUPPLY

The Supplier reserves the right to accept or decline in whole or in part any order made by the Applicant for the supply of goods and to supply the goods ordered in whole or in part.

### 9. DELIVERY

- A) Notwithstanding that an approximate date stipulated in the order for delivery of the goods, the time for delivery of the goods shall not be regarded as of the essence.
- B) Subject to the Clause, the Supplier shall make all reasonable and commercial efforts to have the goods delivered to the Applicant on the day agreed between the parties but the Supplier, its agents and servants shall be under no liability what so ever, nor shall the Applicant be entitled to treat the contract as repudiated should delivery not be made at that time.

### 10. RECEIPT

Under no circumstances may the Applicant deny signature evidencing receipt of the goods by it of any employee, agent or carrier utilised or employed by the Applicant as the cause may be.

### 11. LIABILITY FOR DAMAGES AND WARRANTIES

- A) The customer and the Supplier agree that the Supplier accepts no responsibility or liability what so ever or how so ever arising whether in contract or tort or otherwise for loss of profit, business or savings or for any indirect or consequential loss of any nature arising out of or from the use, custody, supply or purchase of the goods to the fullest extent permitted by law and the Applicant forever discharges the Supplier from all such responsibilities and liability, claims, demands or actions in respect thereof.
- B) Where the Supplier becomes liable to the Applicant in any manner for any breach of any condition or warranty expressed or implied in relation to the supply of goods then the Supplier's liability will be limited, at the Supplier's sole and absolute discretion to either;
- C) The replacement of the goods or the supply of equivalent goods or
- D) The price paid to the Applicant for the goods or
- E) The cost of repair to the goods
- F) The cost of the resupply of the goods

### 12. CREDIT CARD TRANSACTIONS

As of the date of this publication all American Express credit card transactions will incur a 4% processing fee. Visa, Mastercard or Debit cards will incur a 2% processing fee.

### 13. CONDITIONS OF RETURNS

ALL RETURNS SUBJECT TO 15% RESTOCKING FEE.

Claims not accepted unless arrival is effected at the above address within 14 days, all freight and charges being prepaid.

SPECIALY MANUFACTURED OR OFF STANDARD PRODUCTS ARE NOT RETURNABLE AND WILL NOT BE ACCEPTED FOR CREDIT.

Acceptance of these goods is an acceptance of the foregoing condition.

## CONTENTS

<b>AUGER DRIVES</b>		<b>TRENCHERS</b>	<b>34</b>
Auger Selection Chart	5	Trencher Chains	34
How to order a Drive Unit PDD - PD10	6	Mini Bigfoot	35
How to order a Drive Unit PD4HF - PD50	7	Bigfoot	36
Auger Drives Quick Reference Chart - Machines up to 10t	8	Hydrive	37
Auger Drives Quick Reference Chart - Machines to 30t	10	Bigfoot XD	38
		Hydrive XD	39
<b>MICRO EXCAVATORS 750kg to 2t</b>	<b>12</b>	Trencher Spares	39
<b>MINI EXCAVATORS / SKID STEER LOADERS 2t to 5t</b>	<b>14</b>	<b>ONE MAN POST HOLE BORER</b>	<b>40</b>
<b>EXCAVATORS / BACKHOES 5t to 10t</b>	<b>16</b>	<b>WEARPARTS POSTER</b>	<b>41</b>
<b>EXCAVATORS / BACKHOE / SKID STEERS 5t to 10t - HIGH FLOW</b>	<b>18</b>	<b>HITCH ORDER FORM</b>	<b>42</b>
<b>EXCAVATORS 10t to 30t</b>	<b>20</b>	<b>CONTACT INFORMATION</b>	<b>44</b>
<b>EXCAVATORS 12t to 50t</b>	<b>22</b>		
<b>EXCAVATORS 20t to 50t</b>	<b>24</b>		
<b>TRUCK CRANES / TELEHANDLERS</b>	<b>26</b>		
<b>OPTIONAL EXTRAS</b>	<b>29</b>		
Hoses	29		
Frames	29		
Backhoe Hitches	29		
Cradles	29		
Linkages	29		
2 Way Flow Reversal Valve	29		
<b>ANCHOR DRIVES</b>			
Information	30		
Premium Drives 4,000 - 40,000Nm	31		
Supa Drives 45,000 - 90,000Nm	32		
Mega Drives 115,000 - 200,000Nm	32		
Ultra Drives 190,000 - 300,000Nm	32		
Xtreme Drives 260,000 - 500,000Nm	33		
Torque Logic - Monitoring & Data Logging System	33		

## IMPORTANT INFORMATION

*Thank you for being an integral part of the Digga Dealer Network.*

This price book has been designed for ease of use, and to assist with the ideal attachment selection for different machine types. All items that relate to each other have been grouped to provide quick and easy quoting for your clients.

**Auger Drives** are by Machine type ie. Micro Excavators and all ancillary items that go with those drives is on adjacent pages. Making it faster & more efficient to look up pricing for your clientele.

When selecting your Auger Drive unit, it is important to understand:

1. What flow & pressure the machine has.
2. What size augers are intended to be used.
3. What ground conditions will be drilled in.

Pages 6 - 9 will provide you with a quick reference guide for technical information for our standard flow and High flow drives. The quick reference chart will guide you in the correct augers & extensions to use with the selected drive. N.B. All technical specifications are THEORETICAL only & intended to be used as a guide.

**Augers** are matched throughout the price guide with the drive units. All augers come complete with teeth, pilot, auger pin & clip. We suggest that a spare set of WEARPARTS is sold with each auger, this ensures that clients do not wear their teeth & pilots out & cause wear on the flights. The spare set of wearparts allows the customer to change their parts out & place additional orders to receive additional parts in a timely manner. Teeth selection is important, a guide is below for correct teeth selection:

**Earth** – For drilling in soft earth & clay conditions.

**MFT** – *Multi Face Tungsten* Will drill slower in heavy earth, & clay than TC, but provides greater penetration in shale and rock than TC & excellent wear life.

**TT** – *Tapered Tooth* The ideal all-purpose auger for drilling in Earth, clay, shale or fracturable rock. Teeth will rip away at rock but still provide a clean hole when drilling in earth.

**Trenchers** are by Machine size ie. Up to 3.5T. When ordering your trencher, please ensure you check:

1. What flow & pressure the machine has.
2. What frame or hitch is needed.
3. What depth of trench is needed.
4. What ground conditions will be trenched in.

All trencher bodies include crumbar bar & hoses, with couplers. Frame/hitch & chain is ordered separately & assembled onto the trencher. If you require the trencher unassembled, please advise on ordering.

**Anchor Drives** are sold by Torque specifications & due to the nature of screw anchoring applications can be fitted to a variety of machine types. There are many factors that need to be considered to ensure all requirements are met for clients. At the back of this book is a large drive Order form. This form needs to be completed as accurately as possible so that the helpful team at Digga can correctly advise the right product & pricing.

At the back of this price book are copies of forms to assist with order taking, product return information & large drive ordering.

## TECHNICAL INFORMATION & PRODUCT FLYERS

All products have flyers available online at [www.diggaeurope.com](http://www.diggaeurope.com)


# HOW TO ORDER A DRIVE UNIT - PDD to PD10


(ALL ITEMS SOLD SEPARATELY) WHEN ORDERING A DRIVE UNIT, CHOOSE ONE ITEM FROM EACH CATEGORY

## DRIVE UNITS >>




2.2M HOSES & COUPLERS  
LINKAGE BLOCK AND PIN  
INCLUDED



ISO COUPLERS 


**OR**

FLUSH FACE COUPLERS 

PLEASE SPECIFY WHEN ORDERING


## HITCH OR FRAME >>

OPTIONS AVAILABLE




SINGLE OR  
DOUBLE  
PIN HITCH

**OR**



FRAME & CRADLE


**PLUS  
OPTIONAL**  
\* RECOMMENDED



CRADLE HITCH\*  
\* RECOMMENDED


## EXTENSIONS >>

1 PIN  
INCLUDED





**4 Augers**

1 PIN, TEETH,  
PILOT INCLUDED



## SPARE WEAR PART KITS >>

RECOMMENDED  
TEETH / PILOTS



SPARE WEARPART KITS AVAILABLE INCLUDE OUTER TEETH, INNER TEETH, PILOTS, AND NUT & BOLT

## EXTRAS >>

WIDE RANGE  
OF OPTIONS



ENERGY CONTROL VALVE (ECV)  
TORQUE MEASURING SYSTEM  
2 WAY VALVE

AUGER ALIGNMENT SYSTEM (DIGGALIGN)  
MONITORING SYSTEM (DIGGALOGIC)

VALID FROM 1ST NOVEMBER 2019




# HOW TO ORDER A DRIVE UNIT - PD4HF to PD50

(ALL ITEMS SOLD SEPARATELY) WHEN ORDERING A DRIVE UNIT, CHOOSE ONE ITEM FROM EACH CATEGORY

## DRIVE UNITS >>



3M HOSES & COUPLERS  
LINKAGE BLOCK AND PIN  
INCLUDED




ISO  
COUPLERS 

**OR**

FLUSH FACE  
COUPLERS 


## HITCH >>

OPTIONS  
AVAILABLE




HITCH


**PLUS  
OPTIONAL**  
\* RECOMMENDED



CRADLE HITCH\*  
\*FOR UP TO PD22




RYNO HITCH\*  
\*FOR PD25-PD50



SWING CONTROL  
SYSTEM (SCS)\*  
\* FACTORY FITTED ONLY  
- POA


## EXTENSIONS >>

1 PIN  
INCLUDED






## AUGERS >>

1 PIN, TEETH,  
PILOT INCLUDED



## SPARE WEARPARTS >>

RECOMMENDED  
TEETH / PILOTS



## EXTRAS >>

WIDE RANGE  
OF OPTIONS



ENERGY CONTROL VALVE (ECV)  
TORQUE MEASURING SYSTEM  
2 WAY VALVE

AUGER ALIGNMENT SYSTEM (DIGGALIGN)  
MONITORING SYSTEM (DIGGALOGIC)

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# AUGER DRIVES - MACHINES TO 10t

## QUICK REFERENCE CHART >>

DRIVE CODE	SHAFT OPTIONS	REC FLOW (LPM)	MAX POWER KW	REC PRESSURE (BAR)	MAX TORQUE NM @ 240 BAR	AUGERS TO SUIT	EXTENSIONS TO SUIT	GBP
PDD-2	1,2,3,4	15-45	25	125-240	1197	A4TL/RC4/DR4	X4	£870.00
PDX2-2	1,2,3,4	30-50	25	125-240	2331	A4TL/RC4/DR4	X4	£1,107.00
PDX3-2	1,2,3,4	30-55	25	125-240	2850	A4TL/RC4/DR4	X4	£1,107.00
PD3-2	1,2,3,4	45-75	25	175-240	3591	A4TL/RC4/DR4	X4	£1,302.00
PD4-2	1,2,3,4	50-85	25	175-240	4473	A4TL/RC4/DR4	X4	£1,302.00
PD4-5	5	50-85	25	175-240	4473	A6/RC6/DR6	X075	£1,323.00
PD5-5	2,3,4,5	60-90	25	175-240	5166	A6/RC6/DR6	X075	£1,491.00
PD6-5	3,4,5	70-115	25	175-240	5607	A6/RC6/DR6	X075	£1,739.00
PD7-5	3,4,5	75-115	25	175-240	6048	A6/RC6/DR6	X075	£1,739.00
PD8-5	3,5	80-115	25	175-240	7056	A6/RC6/DR6	X075	£1,880.00
PD10-5	3,5	85-115	25	175-240	8568	A6/RC6/DR6	X075	£1,880.00

TORQUE RATINGS ARE THEORETICAL, IF TECHNICAL DETAIL REQUIRED PLEASE CONTACT DIGGA

**NOTE:**

Continuous Operation


Max Flow - Do not exceed 115lpm @ 130bar

Max Pressure - Do not exceed 240bar @ 60lpm

Max Power - Do not exceed 25Kw (34Hp)

**MAX FLOW & MAX PRESSURE CANNOT BE ACHIEVED SIMULTANEOUSLY**

**SHAFT OPTIONS**



Optional Shaft Selections available to each Auger Drive. Please refer to the relevant Auger selection table.

MACHINE	AUGER DRIVE	AUGER MODEL	TEETH	EARTH	CLAY	SHALE	CHALKY ROCK	FRACTURABLE ROCK	HARD ROCK
750KG - 4.5T	PDD PDX PDX2 PDX3 PD4	A4TL	EARTH	●	●	●	●	●	●
			MFT	●	●	●	●	●	●
		RC4	TT	●	●	●	●	●	●
			DR4	PICKS	●	●	●	●	●
5T - 10T	PD4 PD5 PD6 PD7 PD8 PD10	A6	EARTH	●	●	●	●	●	●
			MFT	●	●	●	●	●	●
		RC6	TT	●	●	●	●	●	●
			DR6	PICKS	●	●	●	●	●

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice



## IMPORTANT INFORMATION

Selecting the right drive for the application is essential.

Machine Flow – Determines the speed at which the auger will turn. By selecting your flow range & working across the chart you can see which drive is going to be the most suitable for the application you are performing.

### IDEAL AUGER DRILLING SPEEDS:

- General Purpose Earth drilling, OTR (other than rock) – Earth, Smaller augers in general earth conditions need more speed, 55 - 65 RPM or above
- Heavy earth, clay, soft chalky rocks - Mid sizes augers into harder soils & compact clays 45 - 55 RPM
- Rock augers – Drilling in rock is about power not speed. Too much speed creates too much heat & therefore will wear the teeth out faster. Too much speed will also not allow the teeth to rip into the rock to break it out. Ideal speeds for rock drilling are 20 - 45 RPM

N.B. Effective drilling in rock requires down pressure & torque. Not all rock is drillable & having the right machine for the application is essential.

Machine Pressure – Determines the amount of torque a machine will deliver.

The importance of torque with drilling augers – The larger the auger diameter the more torque (pressure) that will be needed.

OUTPUT SPEED RPM										
Flow LPM	PDD	PDX2	PDX3	PD3	PD4	PD5	PD6	PD7	PD8	PD10
15	49									
20	66									
25	82	41								
30	98	50	41							
35	115	58	47							
40	131	66	54	43						
45	148	75	61	49						
50		83	68	54	43					
55			74	59	47	41				
60				65	52	45				
65				70	56	48				
70				75	60	52	48			
75				81	64	56	51	47		
80					69	59	55	51	44	
85					73	63	58	54	46	38
90						67	61	57	49	41
95						70	65	60	52	43
100							68	63	54	45
105							72	66	57	47
110							75	70	60	50
115							79	73	63	52
OUTPUT TORQUE Nm (THEORETICAL)										
PRESSURE BAR	PDD	PDX2	PDX3	PD3	PD4	PD5	PD6	PD7	PD8	PD10
100	486	961	1 179	1 477	1 853	2 146	2 332	2 517	2 926	3 536
120	583	1 154	1 415	1 772	2 224	2 575	2 798	3 020	3 512	4 243
140	680	1 346	1 651	2 068	2 595	3 005	3 265	3 523	4 097	4 951
160	777	1 538	1 887	2 363	2 966	3 434	3 731	4 027	4 682	5 658
180	874	1 731	2 123	2 658	3 336	3 863	4 197	4 530	5 268	6 365
200	971	1 923	2 359	2 954	3 707	4 292	4 664	5 034	5 853	7 072
220	1 068	2 115	2 595	3 249	4 078	4 721	5 130	5 537	6 438	7 780
240	1 166	2 307	2 831	3 544	4 448	5 151	5 596	6 040	7 024	8 487

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# AUGER DRIVES - HIGH FLOW MACHINES TO 30t


## QUICK REFERENCE CHART >>

DRIVE CODE	SHAFT OPTIONS	REC FLOW (LPM)	MAX KW	RECOM'D PRESSURE (BAR)	MAX TORQUE NM @ 240 BAR	PRV PRESSURE RELIEF VALVE	AUGERS TO SUIT	EXTENSIONS TO SUIT	GBP
PD4HF-5	5	50-150	60	175-240	4495	INCL	A6/RC6/DR6	X075	£2,911.00
PD6HF-5	5	60-150	60	175-240	5670	INCL	A6/RC6/DR6	X075	£2,911.00
PD8HF-5	5	80-200	60	175-240	7175	INCL	A6/RC6/DR6	X075	£2,911.00
PD10HF-5	5	100-200	60	175-240	9765	INCL	A8/RC8/DR8	X075	£2,911.00
PD12-5	5	110-230	60	175-240	11340	INCL	A8/RC8/DR8	X075HD	£2,911.00
PD15-5	5	125-230	60	240	13911	INCL	A8/RC8/DR8	X075HD	£3,088.00
PD18-5	5,7	130-230	60	240	17620	INCL	A8/RC8/DR8	X075HD	£3,927.00
PD22-5	5,7	140-230	60	240	22257	INCL	A8/RC8/DR8	X075HD	£4,517.00
PD25-7	5,7	140-230	60	240	25956	INCL	RC10/RC11/DR11	X0100	£5,147.00
PD30-7	5,7	140-230	60	240	30492	INCL	RC10/RC11/DR11	X0100	£5,184.00
PD40-7	5,7	150-230	60	240	32886	INCL	RC10/RC11/DR11	X0100	£5,238.00
PD50-7	5,7	150-230	60	240	38619	INCL	RC10/RC11/DR11	X0100	£5,282.00

**NOTE:**

Continuous Operation  
 Max Flow - Do not exceed 230lpm @ 140bar  
 Max Pressure - Do not exceed 240bar @ 140lpm  
 Max Power - Do not exceed 60Kw (80Hp)  
**MAX FLOW & MAX PRESSURE CANNOT BE ACHIEVED SIMULTANEOUSLY**

**SHAFT OPTIONS**



Optional Shaft Selections available to each Auger Drive. Please refer to the relevant Auger selection table.

MACHINE	AUGER DRIVE	AUGER MODEL	TEETH	EARTH	CLAY	SHALE	CHALKY ROCK	FRACTURABLE ROCK	HARD ROCK
5T - 10T	PD4HF PD6HF PD8HF PD10HF	A6	EARTH	●	●	●	●	●	●
			MFT	●	●	●	●	●	●
		RC6	TT	●	●	●	●	●	●
			PICKS	●	●	●	●	●	●
10T - 20T	PD10HF PD12 PD15 PD18 PD22	A8	EARTH	●	●	●	●	●	●
			MFT	●	●	●	●	●	●
		RC8	TT	●	●	●	●	●	●
			PICKS	●	●	●	●	●	●
20T - 50T	PD25 PD30 PD40 PD50	RC10	TT	●	●	●	●	●	●
		RC11	TT	●	●	●	●	●	●
		DR11	PICKS	●	●	●	●	●	●

## IMPORTANT INFORMATION

Selecting the right drive for the application is essential.

Machine Flow – Determines the speed at which the auger will turn. By selecting your flow range & working across the chart you can see which drive is going to be the most suitable for the application you are performing.

### IDEAL AUGER DRILLING SPEEDS:

- General Purpose Earth drilling, OTR (other than rock) – Earth, Smaller augers in general earth conditions need more speed, 55 - 65 RPM or above
- Heavy earth, clay, soft chalky rocks - Mid sizes augers into harder soils & compact clays 45 - 55 RPM
- Rock augers – Drilling in rock is about power not speed. Too much speed creates too much heat & therefore will wear the teeth out faster. Too much speed will also not allow the teeth to rip into the rock to break it out. Ideal speeds for rock drilling are 20 - 45 RPM

N.B. Effective drilling in rock requires downpressure & torque. Not all rock is drillable & having the right machine for the application is essential.

Machine Pressure – Determines the amount of torque a machine will deliver.

The importance of torque with drilling augers – The larger the auger diameter the more torque (pressure) that will be needed.

OUTPUT SPEED RPM												
Flow LPM	PD4HF	PD6HF	PD8HF	PD10HF	PD12	PD15	PD18	PD22	PD25	PD30	PD40	PD50
50	43											
60	51	41										
70	60	47										
80	68	54	43									
90	77	61	48									
100	86	68	54	39								
110	94	75	59	43								
120	103	81	64	47	41	33	26	21	17	15	14	12
130	111	88	70	51	44	36	28	22	19	16	15	13
140	120	95	75	55	47	39	30	24	20	18	16	14
150	128	102	80	59	51	41	33	26	22	19	17	15
160			86	63	54	44	35	28	23	20	19	16
170			91	67	58	47	37	29	25	21	20	17
180			96	71	61	50	39	31	26	23	21	18
190			102	75	64	52	41	33	28	24	22	19
200			107	79	68	55	43	34	29	25	23	20
210					71	58	46	36	31	26	24	21
220					75	61	48	38	32	28	25	22
230					78	63	50	40	33	29	27	23
OUTPUT TORQUE Nm												
PRESSURE BAR	PD4HF	PD6HF	PD8HF	PD10HF	PD12	PD15	PD18	PD22	PD25	PD30	PD40	PD50
100	1 862	2 347	2 973	4 043	4 695	5 790	7 329	9 259	10 945	12 726	13 767	16 008
120	2 235	2 817	3 568	4 851	5 634	6 948	8 795	11 111	13 134	15 272	16 521	19 210
140	2 607	3 286	4 163	5 660	6 573	8 107	10 261	12 963	15 322	17 817	19 274	22 412
160	2 980	3 756	4 758	6 469	7 512	9 265	11 727	14 815	17 511	20 362	22 028	25 613
180	3 352	4 225	5 352	7 277	8 451	10 423	13 193	16 667	19 700	22 907	24 781	28 815
200	3 725	4 695	5 947	8 086	9 390	11 581	14 659	18 519	21 889	25 453	27 534	32 017
220	4 097	5 164	6 542	8 894	10 329	12 739	16 124	20 371	24 078	27 998	30 288	35 218
240	4 470	5 634	7 136	9 703	11 268	13 897	17 590	22 223	26 267	30 543	33 041	38 420

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# MICRO EXCAVATOR 750kg - 2t

## DRIVE UNITS >>

ORDER CODE	DESCRIPTION	REC FLOW (LPM)	REC PRESSURE (BAR)	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
					RECOM'D AUGER	MAX RECOM'D SIZE (MM)	RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
PDD-2	65MM RND OUTPUT SHAFT	15-45	125-240	25	A4TL	500	RC4	400	£870.00
PDX2-2	65MM RND OUTPUT SHAFT	30-50	125-240	25	A4TL	600	RC4	450	£1,107.00

AUGER DRIVES INCLUDE 2.2M HOSES, FF COUPLERS, LINKAGE BLOCK & HOOD PIN

## HITCHES / FRAMES >>

### EXCAVATOR HITCHES

SINGLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
SPH-000001	25MM SINGLE PIN	£124.20
SPH-000002	30-35MM SINGLE PIN	£135.00
SPH-000003	38-40MM SINGLE PIN	£145.80
DOUBLE PIN HITCH		
DPH-000001	25MM DOUBLE PIN	£275.40
DPH-000002	30-35MM DOUBLE PIN	£301.30
DPH-000003	38-40MM DOUBLE PIN	£321.85

### SKID STEER / TELEHANDLER FRAMES

ORDER CODE	DESCRIPTION	GBP
HI-000133	AVANT PDX HITCH	£270.00
FR-001247	MULTIFIT SKIDSTEER FRAME	£420.00
FR-000005	TELE-HANDLER FRAME	£348.00
FR-001037	BOXER MINI LOADER FRAME	£306.70

MORE FRAMES ARE AVAILABLE ON REQUEST.

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X4-05-2	500MM OUTER EXTENSION - STD 65MM RND HUB & SHAFT	£127.45
X4-08-2	800MM OUTER EXTENSION - STD 65MM RND HUB & SHAFT	£130.70
X4-10-2	1000MM OUTER EXTENSION - STD 65MM RND HUB & SHAFT	£160.90
X4-15-2	1500MM OUTER EXTENSION - STD 65MM RND HUB & SHAFT	£170.65

EXTENSIONS INCLUDE 1 X PIN & CLIP

VALID FROM 1ST NOVEMBER 2019

## AUGERS - 65mm ROUND HUB >>

DIA	A4TL - GENERAL DRILLING AUGER (OTR)				RC4 - ROCK/EARTH AUGER		DR4 - ROCK AUGER	
	LIGHT CONDITIONS EARTH		HEAVY CONDITIONS MFT - HARD GROUND		ROCK/EARTH COMBO TAPER TEETH		DEDICATED ROCK ROTATING ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
100MM	A4TL-04-2-E	£189.00	A4TL-04-2-MFT	£223.55	-	-	-	-
150MM	A4TL-06-2-E	£221.40	A4TL-06-2-MFT	£286.20	RC4-06-2-MFT	£330.00	DR4-06-2	£451.00
200MM	A4TL-08-2-E	£234.35	A4TL-08-2-MFT	£297.00	RC4-08-2-MFT	£342.00	DR4-08-2	£468.00
225MM	A4TL-09-2-E	£282.95	A4TL-09-2-MFT	£356.00	RC4-09-2-MFT	£409.00	-	-
250MM	A4TL-10-2-E	£285.10	A4TL-10-2-MFT	£357.00	RC4-10-2-MFT	£410.00	DR4-10-2	£560.00
300MM	A4TL-12-2-E	£287.30	A4TL-12-2-MFT	£358.00	RC4-12-2-MFT	£412.00	DR4-12-2	£562.00
350MM	A4TL-14-2-E	£297.00	A4TL-14-2-MFT	£382.00	RC4-14-2-MFT	£444.00	DR4-14-2	£598.00
400MM	A4TL-16-2-E	£349.00	A4TL-16-2-MFT	£442.00	RC4-16-2-MFT	£508.00	DR4-16-2	£694.00
450MM	A4TL-18-2-E	£374.00	A4TL-18-2-MFT	£456.00	RC4-18-2-MFT	£525.00	DR4-18-2	£714.00
500MM	A4TL-20-2-E	£401.00	A4TL-20-2-MFT	£481.00	RC4-20-2-MFT	£553.00	DR4-20-2	£754.00
600MM	A4TL-24-2-E	£475.00	A4TL-24-2-MFT	£566.00	RC4-24-2-MFT	£651.00	DR4-24-2	£888.00
750MM	A4TL-30-2-E	£585.00	A4TL-30-2-MFT	£679.00	RC4-30-2-MFT	£780.00	-	-
900MM	A4TL-36-2-E	£790.00	A4TL-36-2-MFT	£941.00	RC4-36-2-MFT	£1,082.00	-	-

## SPARE WEARPARTS >>

TYPE	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY							
	A4TL - EARTH		A4TL - MFT		RC4 - TAPER TEETH - MFT		DR4 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TS-1	£3.45	TS-3	£16.05	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TS-C-1	£2.65	TS-C-3	£10.75	TTS-3	£11.60	DRP-19-15	£81.00
PILOT	PM-SQ-1-K	£16.30	PM-SQ-3-K	£72.30	PM-HX-3-K	£71.35	DP-000C10	£14.04
HOLDER	D665TL	£9.35	D665TL	£9.35	TTD-H	£13.95	DP-C1HDLR	£21.60
PILOT TOOTH	-	-	-	-	-	-	D627	£35.00
PILOT HOLDER	-	-	-	-	-	-		

A4TL (AUGER TRULOC PIN): WP-000271 - £0.43

## OPTIONAL EXTRAS >>

ORDER CODE	DESCRIPTION	GBP
DT-000048	STD DEFINITION DIGGALIGN FOR DIGGING UP TO 6M	£1,356.00
HA-000959	2 WAY FLOW REVERSAL VALVE - UP TO 120LPM	£492.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# MINI EXCAVATOR & SKID STEER LOADERS 2t - 5t

## DRIVE UNITS >>

ORDER CODE	STD OUTPUT SHAFT	REC FLOW (LPM)	MAX PRESSURE (BAR) @ 60LPM	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
					RECOM'D AUGER	MAX RECOM'D SIZE (MM)	RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
<b>SINGLE SPEED</b>									
PDX2-2	65MM RND	30-50	240	25	A4TL	600	RC4	450	£1,107.00
PDX3-2	65MM RND	30-55	240	25	A4TL	600	RC4	450	£1,107.00
PD3-2	65MM RND	45-75	240	25	A4TL	750	RC4	600	£1,302.00
PD4-2	65MM RND	50-85	240	25	A4TL	900	RC4	750	£1,302.00
<b>2 SPEED</b>									
PDT3-2	65MM RND	20-75	200	25	A4TL	750	RC4	600	£2,575.00
PDT6-5	75MM SQ	20-75	200	25	A6 (PAGE 17)	1000	RC6 (PAGE 17)	900	£3,015.59

AUGER DRIVES INCLUDE 2.2M HOSES, COUPLERS, LINKAGE BLOCK & HOOD PIN 2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

## HITCHES / FRAMES >>

### EXCAVATOR HITCHES

SINGLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
SPH-000001	25MM SINGLE PIN	£124.20
SPH-000002	30-35MM SINGLE PIN	£135.00
SPH-000003	38-40MM SINGLE PIN	£145.80
DOUBLE PIN HITCH		
DPH-000001	25MM DOUBLE PIN	£275.40
DPH-000002	30-35MM DOUBLE PIN	£301.30
DPH-000003	38-40MM DOUBLE PIN	£321.85
DPH-000004	45MM DOUBLE PIN	£513.00

### CRADLE HITCH

ORDER CODE	DESCRIPTION	MIN. BASE PLATE WIDTH	GBP
HI-001785	CRADLE HITCH WELDMENT - PDD-PDX2	200MM	£173.00
HI-001721	CRADLE HITCH WELDMENT - PD3-PD7	250MM	£173.00
HI-001604	CRADLE HITCH WELDMENT - PD8-PD10	275MM	£196.00
HI-001723	CRADLE HITCH WELDMENT - PD12-PD22	300MM	£215.00

THE CRADLE HITCH WELDMENT CAN ONLY BE FITTED TO NEW OR EXISTING DOUBLE PIN HITCHES WITH A BASE PLATE WIDTH LARGER THAN THE MINIMUM SIZE. IF THIS IS FOR A NEW CRADLE HITCH PLEASE ALSO ORDER THE CORRECT DOUBLE PIN HITCH FOR YOUR MACHINE.

### SKID STEER / TELEHANDLER FRAMES

ORDER CODE	DESCRIPTION	GBP
HI-000133	AVANT PDX HITCH	£270.00
FR-001247	MULTIFIT SKIDSTEER FRAME	£420.00
FR-000005	BLANK TELE-HANDLER FRAME	£348.00

MORE FRAMES ARE AVAILABLE ON REQUEST.

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X4-05-2	500MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£127.45
X4-08-2	800MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£130.70
X4-10-2	1000MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£160.90
X4-15-2	1500MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£170.65

EXTENSIONS INCLUDE 1 X PIN & CLIP

NOTE: SEE PAGE 17 FOR A6/RC6 EXTENSION RANGE

VALID FROM 1ST NOVEMBER 2019



## AUGERS - 65mm ROUND HUB >>>

DIA	A4TL - GENERAL DRILLING AUGER (OTR)				RC4 - ROCK/EARTH AUGER		DR4 - ROCK AUGER	
	LIGHT CONDITIONS EARTH		HEAVY CONDITIONS MFT - HARD GROUND		ROCK/EARTH COMBO TAPER TEETH		DEDICATED ROCK ROTATING ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
100MM	A4TL-04-2-E	£189.00	A4TL-04-2-MFT	£223.55	-	-	-	-
150MM	A4TL-06-2-E	£221.40	A4TL-06-2-MFT	£286.20	RC4-06-2-MFT	£330.00	DR4-06-2	£451.00
200MM	A4TL-08-2-E	£234.35	A4TL-08-2-MFT	£297.00	RC4-08-2-MFT	£342.00	DR4-08-2	£468.00
225MM	A4TL-09-2-E	£282.95	A4TL-09-2-MFT	£356.00	RC4-09-2-MFT	£409.00	-	-
250MM	A4TL-10-2-E	£285.10	A4TL-10-2-MFT	£357.00	RC4-10-2-MFT	£410.00	DR4-10-2	£560.00
300MM	A4TL-12-2-E	£287.30	A4TL-12-2-MFT	£358.00	RC4-12-2-MFT	£412.00	DR4-12-2	£562.00
350MM	A4TL-14-2-E	£297.00	A4TL-14-2-MFT	£382.00	RC4-14-2-MFT	£444.00	DR4-14-2	£598.00
400MM	A4TL-16-2-E	£349.00	A4TL-16-2-MFT	£442.00	RC4-16-2-MFT	£508.00	DR4-16-2	£694.00
450MM	A4TL-18-2-E	£374.00	A4TL-18-2-MFT	£456.00	RC4-18-2-MFT	£525.00	DR4-18-2	£714.00
500MM	A4TL-20-2-E	£401.00	A4TL-20-2-MFT	£481.00	RC4-20-2-MFT	£553.00	DR4-20-2	£754.00
600MM	A4TL-24-2-E	£475.00	A4TL-24-2-MFT	£566.00	RC4-24-2-MFT	£651.00	DR4-24-2	£888.00
750MM	A4TL-30-2-E	£585.00	A4TL-30-2-MFT	£679.00	RC4-30-2-MFT	£780.00	-	-
900MM	A4TL-36-2-E	£790.00	A4TL-36-2-MFT	£941.00	RC4-36-2-MFT	£1,082.00	-	-

## SPARE WEARPARTS >>>

TYPE	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY							
	A4TL - EARTH		A4TL - MFT		RC4 - TAPER TEETH - MFT		DR4 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TS-1	£3.45	TS-3	£16.05	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TS-C-1	£2.65	TS-C-3	£10.75	TTS-3	£11.60	DRP-19-15	£81.00
PILOT	PM-SQ-1-K	£16.30	PM-SQ-3-K	£72.30	PM-HX-3-K	£71.35	DP-000C10	£14.04
HOLDER	D665TL	£9.35	D665TL	£9.35	TTD-H	£13.95	DP-C1HDLR	£21.60
PILOT TOOTH	-	-	-	-	-	-	D627	£35.00
PILOT HOLDER	-	-	-	-	-	-		

A4TL (AUGER TRULOC PIN): WP-000271 - £0.43

## OPTIONAL EXTRAS >>>

ORDER CODE	DESCRIPTION	GBP
DT-000048	STD DEFINITION DIGGALIGN FOR DIGGING UP TO 6M	£1,356.00
DT-000052	HIGH DEFINITION DIGGALIGN FOR DIGGING UP TO 15M	£1,421.00
HA-000959	2 WAY FLOW REVERSAL VALVE UP TO 120LPM	£492.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# EXCAVATOR & BACKHOES 5t - 10t

## DRIVE UNITS >>

ORDER CODE	OUTPUT SHAFT	TORQUE Nm	REC FLOW (LPM)	MAX PRESSURE (BAR) @ 60LPM	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
						RECOM'D AUGER	MAX RECOM'D SIZE (MM)	RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
<b>SINGLE SPEED</b>										
PD4-5	75MM SQ	4473	50-85	175-240	25	A6	1000	RC6	900	£1,323.00
PD5-5	75MM SQ	5166	60-95	175-240	25	A6	1000	RC6	900	£1,491.00
PD6-5	75MM SQ	5607	70-115	175-240	25	A6	1000	RC6	900	£1,739.00
PD7-5	75MM SQ	6048	75-115	175-240	25	A6	1000	RC6	900	£1,739.00
PD8-5	75MM SQ	7056	80-115	175-240	25	A6	1200	RC6	1000	£1,880.00
PD10-5	75MM SQ	8568	80-115	175-240	25	A6	1200	RC6	1000	£1,880.00
ALL DRIVES COME COMPLETE WITH 2.2MTR X 1/2" HOSES, COUPLERS, LINKAGE BLOCK & HOOD PIN										
<b>2 SPEED</b>										
PDT4HF-5	75MM SQ	4673	40-120	240	60	A6	1000	RC6	750	£3,274.44
PDT6HF-5	75MM SQ	5758	60-150	240	60	A6	1200	RC6	900	£3,309.32
PDT8HF-5	75MM SQ	7881	80-200	240	60	A6	1200	RC6	1000	£3,375.41
PDT10HF-5	75MM SQ	9916	100-180	240	60	A8 (PAGE 21)	1500	RC8 (PAGE 21)	1000	£3,375.41
ALL HIGH FLOW DRIVES COME COMPLETE WITH INTEGRATED PRESSURE RELIEF VALVE, 3/4" X 3MTR HOSES, COUPLERS, LINKAGE BLOCK & HOOD PIN										

2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

## HITCHES / FRAMES >>

### EXCAVATOR HITCHES

SINGLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
SPH-000003	38-40MM SINGLE PIN	£145.80
SPH-000004	45MM SINGLE PIN	£223.55
SPH-000005	50MM SINGLE PIN	£232.20
SPH-000006	55MM SINGLE PIN	£248.80
SPH-000007	60MM SINGLE PIN	£264.60
SPH-000008	65MM SINGLE PIN	£280.80
DOUBLE PIN HITCH		
DPH-000003	38-40MM DOUBLE PIN	£321.85
DPH-000004	45MM DOUBLE PIN	£513.00
DPH-000005	50MM DOUBLE PIN	£529.00
DPH-000006	55MM DOUBLE PIN	£540.00
DPH-000007	60MM DOUBLE PIN	£590.00
DPH-000008	65MM DOUBLE PIN	£630.00

### CRADLE HITCH

ORDER CODE	DESCRIPTION	MIN. BASE PLATE WIDTH	GBP
HI-001785	CRADLE HITCH WELDMENT - PDD-PDX2	200MM	£173.00
HI-001721	CRADLE HITCH WELDMENT - PD3-PD7	250MM	£173.00
HI-001604	CRADLE HITCH WELDMENT - PD8-PD10	275MM	£196.00
HI-001723	CRADLE HITCH WELDMENT - PD12-PD22	300MM	£215.00

THE CRADLE HITCH WELDMENT CAN ONLY BE FITTED TO NEW OR EXISTING DOUBLE PIN HITCHES WITH A BASE PLATE WIDTH LARGER THAN THE MINIMUM SIZE. IF THIS IS FOR A NEW CRADLE HITCH PLEASE ALSO ORDER THE CORRECT DOUBLE PIN HITCH FOR YOUR MACHINE.

### SKID STEER / TELEHANDLER FRAMES

ORDER CODE	DESCRIPTION	GBP
HI-000133	AVANT PDX HITCH	£270.00
FR-001247	MULTIFIT SKIDSTEER FRAME	£420.00
FR-000005	BLANK TELE-HANDLER FRAME	£348.00

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X075-10-5	1000MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£259.20
X075-15-5	1500MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£312.10
X075-20-5	2000MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£330.00

EXTENSIONS INCLUDE 1 X PIN & CLIP

NOTE: SEE PAGE 21 FOR A8/RC8 EXTENSION RANGE

VALID FROM 1ST NOVEMBER 2019

## AUGERS - 75mm SQUARE HUB >>

DIA	A6-GENERAL PURPOSE AUGER				RC6 - ROCK/EARTH AUGER		DR6 - ROCK AUGER	
	LIGHT CONDITIONS EARTH		HEAVY CONDITIONS MFT - HARD GROUND		FRACTURABLE ROCK / EARTH CLAY / SHALE		DEDICATED ROCK ROTATING ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
150MM	A6-06-5-E	£335.00	A6-06-5-MFT	£423.00	RC6-06-5-MFT	£538.00	DR6-06-5	£745.00
200MM	A6-08-5-E	£369.00	A6-08-5-MFT	£458.00	RC6-08-5-MFT	£589.00	DR6-08-5	£749.00
225MM	A6-09-5-E	£376.00	A6-09-5-MFT	£491.00	RC6-09-5-MFT	£646.00	-	-
250MM	A6-10-5-E	£380.00	A6-10-5-MFT	£493.00	RC6-10-5-MFT	£673.00	DR6-10-5	£789.00
300MM	A6-12-5-E	£398.00	A6-12-5-MFT	£515.00	RC6-12-5-MFT	£705.00	DR6-12-5	£875.00
350MM	A6-14-5-E	£438.00	A6-14-5-MFT	£553.00	RC6-14-5-MFT	£733.00	DR6-14-5	£945.00
400MM	A6-16-5-E	£469.00	A6-16-5-MFT	£610.00	RC6-16-5-MFT	£826.00	DR6-16-5	£1,232.00
450MM	A6-18-5-E	£580.00	A6-18-5-MFT	£725.00	RC6-18-5-MFT	£930.00	DR6-18-5	£1,518.00
500MM	A6-20-5-E	£605.00	A6-20-5-MFT	£753.00	RC6-20-5-MFT	£988.00	DR6-20-5	£1,724.00
600MM	A6-24-5-E	£709.00	A6-24-5-MFT	£887.00	RC6-24-5-MFT	£1,142.00	DR6-24-5	£2,116.00
750MM	A6-30-5-E	£900.00	A6-30-5-MFT	£1,029.00	RC6-30-5-MFT	£1,357.00	DR6-30-5	£2,834.00
900MM	A6-36-5-E	£1,124.00	A6-36-5-MFT	£1,271.00	RC6-36-5-MFT	£1,658.00	DR6-36-5	£3,353.00
1000MM	A6-40-5-E	£1,588.00	A6-40-5-MFT	£1,890.00	RC6-40-5-MFT	£2,374.00	-	-
1200MM	A6-48-5-E	£1,990.00	A6-48-5-MFT	£2,266.59	RC6-48-5-MFT	£2,955.00	-	-

## SPARE WEARPARTS >>

AUGER DIA	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY							
	A6 - EARTH		A6 - MFT		RC6 - TAPER TEETH - MFT		DR6 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TM-1	£4.75	TM-3	£19.00	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TM-C-1	£4.56	TM-C-3	£10.55	TTS-3	£11.60		
PILOT	PM-HX-3-K	£71.35	PM-HX-3-K	£71.35	PM-HX-3-K	£71.35	DRP-19T	£97.20
HOLDER	TM-H	£13.80	TM-H	£13.80	TTD-H	£13.95	DP-000C10	£14.04
PILOT TOOTH	N/A	N/A	N/A	N/A	N/A	N/A	DP-C1HDLR	£21.60
PILOT HOLDER	N/A	N/A	N/A	N/A	N/A	N/A	DR-WS-T	£35.00

## OPTIONAL EXTRAS >>

ORDER CODE	DESCRIPTION	GBP
DT-000048	STD DEFINITION DIGGALIGN FOR DIGGING UP TO 6M	£1,356.00
DT-000052	HIGH DEFINITION DIGGALIGN FOR DIGGING UP TO 15M	£1,421.00
HA-000959	2 WAY FLOW REVERSAL VALVE UP TO 120LPM	£492.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# HIGH FLOW EXCAVATOR, BACKHOE & SKID STEER LOADERS 5t - 10t

## DRIVE UNITS >>

ORDER CODE	OUTPUT SHAFT	TORQUE Nm	REC FLOW (LPM)	MAX PRESSURE (BAR) @ 60LPM	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
						RECOM'D AUGER	MAX RECOM'D SIZ (MM)E	RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
<b>SINGLE SPEED</b>										
PD4HF-5	75MM SQ	4495	50-150	240 PRV	60	A6	1000	RC6	1000	£2,911.00
PD6HF-5	75MM SQ	5670	60-150	240 PRV	60	A6	1200	RC6	1200	£2,911.00
PD8HF-5	75MM SQ	7175	80-200	240 PRV	60	A6	1500	RC6	1200	£2,911.00
PD10HF-5	75MM SQ	9765	100-200	240 PRV	60	A6	1500	RC6	1200	£2,911.00
<b>2 SPEED</b>										
PDT4HF-5	75MM SQ	4673	40-120	240	60	A6	1000	RC6	750	£3,274.44
PDT6HF-5	75MM SQ	5758	60-150	240	60	A6	1200	RC6	900	£3,309.32
PDT8HF-5	75MM SQ	7881	80-200	240	60	A6	1200	RC6	1000	£3,375.41
PDT10HF-5	75MM SQ	9916	100-180	240	60	A8 (PAGE 21)	1500	RC8 (PAGE 21)	1000	£3,375.41

ALL HIGH FLOW DRIVES COME COMPLETE WITH INTEGRATED PRESSURE RELIEF VALVE, 3/4" X 3MTR HOSES, COUPLERS, LINKAGE BLOCK & HOOD PIN

2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

## HITCHES / FRAMES >>

### EXCAVATOR HITCHES

SINGLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
SPH-000003	38-40MM SINGLE PIN	£145.80
SPH-000004	45MM SINGLE PIN	£223.55
SPH-000005	50MM SINGLE PIN	£232.20
SPH-000006	55MM SINGLE PIN	£248.80
SPH-000007	60MM SINGLE PIN	£264.60
SPH-000008	65MM SINGLE PIN	£280.80
DOUBLE PIN HITCH		
DPH-000003	38-40MM DOUBLE PIN	£321.85
DPH-000004	45MM DOUBLE PIN	£513.00
DPH-000005	50MM DOUBLE PIN	£529.00
DPH-000006	55MM DOUBLE PIN	£540.00
DPH-000007	60MM DOUBLE PIN	£590.00
DPH-000008	65MM DOUBLE PIN	£630.00

### CRADLE HITCH

ORDER CODE	DESCRIPTION	MIN. BASE PLATE WIDTH	GBP
HI-001785	CRADLE HITCH WELDMENT - PDD-PDX2	200MM	£173.00
HI-001721	CRADLE HITCH WELDMENT - PD3-PD7	250MM	£173.00
HI-001604	CRADLE HITCH WELDMENT - PD8-PD10	275MM	£196.00
HI-001723	CRADLE HITCH WELDMENT - PD12-PD22	300MM	£215.00

THE CRADLE HITCH WELDMENT CAN ONLY BE FITTED TO NEW OR EXISTING DOUBLE PIN HITCHES WITH A BASE PLATE WIDTH LARGER THAN THE MINIMUM SIZE. IF THIS IS FOR A NEW CRADLE HITCH PLEASE ALSO ORDER THE CORRECT DOUBLE PIN HITCH FOR YOUR MACHINE.

### SKID STEER / TELEHANDLER FRAMES

ORDER CODE	DESCRIPTION	GBP
FR-001247	MULTIFIT SKIDSTEER FRAME	£420.00
FR-000005	BLANK TELE-HANDLER FRAME	£348.00

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X075-10-5	1000MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£259.20
X075-15-5	1500MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£312.10
X075-20-5	2000MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£330.00

EXTENSIONS INCLUDE 1 X PIN & CLIP

NOTE: SEE PAGE 21 FOR A8/RC8 EXTENSION RANGE

VALID FROM 1ST NOVEMBER 2019

## OPTIONAL EXTRAS >>

ORDER CODE	DESCRIPTION	GBP
DT-000048	STD DEFINITION DIGGALIGN FOR DIGGING UP TO 6M	£1,356.00
DT-000052	HIGH DEFINITION DIGGALIGN FOR DIGGING UP TO 15M	£1,421.00
HA-000959	2 WAY FLOW REVERSAL VALVE UP TO 120LPM	£492.00

## AUGERS - 75mm SQUARE HUB >>

DIA	A6-GENERAL PURPOSE AUGER				RC6-ROCK/EARTH AUGER		DR6-ROCK AUGER	
	LIGHT CONDITIONS EARTH		HEAVY CONDITIONS MFT - HARD GROUND		FRACTURABLE ROCK / EARTH CLAY / SHALE		DEDICATED ROCK ROTATING ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
150MM	A6-06-5-E	£335.00	A6-06-5-MFT	£423.00	RC6-06-5-MFT	£538.00	DR6-06-5	£745.00
200MM	A6-08-5-E	£369.00	A6-08-5-MFT	£458.00	RC6-08-5-MFT	£589.00	DR6-08-5	£749.00
225MM	A6-09-5-E	£376.00	A6-09-5-MFT	£491.00	RC6-09-5-MFT	£646.00	-	-
250MM	A6-10-5-E	£380.00	A6-10-5-MFT	£493.00	RC6-10-5-MFT	£673.00	DR6-10-5	£789.00
300MM	A6-12-5-E	£398.00	A6-12-5-MFT	£515.00	RC6-12-5-MFT	£705.00	DR6-12-5	£875.00
350MM	A6-14-5-E	£438.00	A6-14-5-MFT	£553.00	RC6-14-5-MFT	£733.00	DR6-14-5	£945.00
400MM	A6-16-5-E	£469.00	A6-16-5-MFT	£610.00	RC6-16-5-MFT	£826.00	DR6-16-5	£1,232.00
450MM	A6-18-5-E	£580.00	A6-18-5-MFT	£725.00	RC6-18-5-MFT	£930.00	DR6-18-5	£1,518.00
500MM	A6-20-5-E	£605.00	A6-20-5-MFT	£753.00	RC6-20-5-MFT	£988.00	DR6-20-5	£1,724.00
600MM	A6-24-5-E	£709.00	A6-24-5-MFT	£887.00	RC6-24-5-MFT	£1,142.00	DR6-24-5	£2,116.00
750MM	A6-30-5-E	£900.00	A6-30-5-MFT	£1,029.00	RC6-30-5-MFT	£1,357.00	DR6-30-5	£2,834.00
900MM	A6-36-5-E	£1,124.00	A6-36-5-MFT	£1,271.00	RC6-36-5-MFT	£1,658.00	DR6-36-5	£3,353.00
1000MM	A6-40-5-E	£1,588.00	A6-40-5-MFT	£1,890.00	RC6-40-5-MFT	£2,374.00	-	-
1200MM	A6-48-5-E	£1,990.00	A6-48-5-MFT	£2,266.59	RC6-48-5-MFT	£2,955.00	-	-

## SPARE WEARPARTS >>

AUGER DIA	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY							
	A6 - EARTH		A6 - MFT		RC6 - TAPER TEETH - MFT		DR6 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TM-1	£4.75	TM-3	£19.00	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TM-C-1	£4.56	TM-C-3	£10.55	TTS-3	£11.60	-	-
PILOT	PM-HX-3-K	£71.35	PM-HX-3-K	£71.35	PM-HX-3-K	£71.35	DRP-19T	£97.20
HOLDER	TM-H	£13.80	TM-H	£13.80	TTD-H	£13.95	DP-000C10	£14.04
PILOT TOOTH	-	-	-	-	-	-	DP-C1HDLR	£21.60
PILOT HOLDER	-	-	-	-	-	-	DR-WS-T	£35.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# EXCAVATORS 10t - 30t

## DRIVE UNITS >>

ORDER CODE	STANDARD OUTPUT SHAFT	TORQUE Nm	REC FLOW (LPM)	MAX PRESSURE (BAR) @ 160LPM	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
						RECOM'D AUGER	MAX RECOM'D SIZE 9MM)	RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
<b>SINGLE SPEED</b>										
PD12-5	75MM SQ	11,500	110-230	240 PRV	60	A8	1500	RC8	1200	£2,911.00
PD15-5	75MM SQ	14,000	125-230	240 PRV	60	A8	1500	RC8	1200	£3,088.00
PD18-5	75MM SQ	17,500	130-230	240 PRV	60	A8	1500	RC8	1500	£3,927.00
PD22-5	75MM SQ	22,500	140-230	240 PRV	60	A8	1500	RC8	1500	£4,517.00
<b>2 SPEED</b>										
PDT18-5	75MM SQ	18,344	40-180	240 PRV	60	A8	1600	RC8	1200	£4,610.89
PDT22-5	75MM SQ	22,606	40-180	240 PRV	60	A8	1600	RC8	1500	£5,071.06
PDT25-7	100MM SQ	27,373	40-180	240 PRV	60	RC10 (PAGE 23)	1600	RC11 (PAGE 23)	1200	£8,256.77
PDT30-7	100MM SQ	31,829	40-180	240 PRV	60	RC10 (PAGE 23)	1600	RC11 (PAGE 23)	1200	£8,307.56

ALL HIGH FLOW DRIVES COME COMPLETE WITH INTERGRATED PRESSURE RELIEF VALVE, 3/4" X 3MTR HOSES, COUPLERS, LINKAGE BLOCK & HOOD PIN

2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

## HITCHES / FRAMES >>

### EXCAVATOR HITCHES

SINGLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
SPH-000009	65MM SINGLE PIN	POA
SPH-000010	70MM SINGLE PIN	POA
SPH-000011	75MM SINGLE PIN	POA
SPH-000012	80MM SINGLE PIN	POA
SPH-000013	90MM SINGLE PIN	POA
DOUBLE PIN HITCH		
DPH-000009	65MM DOUBLE PIN	£800.00
DPH-000010	70MM DOUBLE PIN	£825.00
DPH-000011	75MM DOUBLE PIN	£860.00
DPH-000012	80MM DOUBLE PIN	£930.00
DPH-000013	90MM DOUBLE PIN	£1,045.00

### CRADLE HITCH

ORDER CODE	DESCRIPTION	MIN. BASE PLATE WIDTH	GBP
HI-001785	CRADLE HITCH WELDMENT - PDD-PDX2	200MM	£173.00
HI-001721	CRADLE HITCH WELDMENT - PD3-PD7	250MM	£173.00
HI-001604	CRADLE HITCH WELDMENT - PD8-PD10	275MM	£196.00
HI-001723	CRADLE HITCH WELDMENT - PD12-PD22	300MM	£215.00

THE CRADLE HITCH WELDMENT CAN ONLY BE FITTED TO NEW OR EXISTING DOUBLE PIN HITCHES WITH A BASE PLATE WIDTH LARGER THAN THE MINIMUM SIZE. IF THIS IS FOR A NEW CRADLE HITCH PLEASE ALSO ORDER THE CORRECT DOUBLE PIN HITCH FOR YOUR MACHINE.

## OPTIONAL EXTRAS >>

ORDER CODE	DESCRIPTION	GBP
DT-000048	STD DEFINITION DIGGALIGN FOR DIGGING UP TO 6M	£1,356.00
DT-000052	HIGH DEFINITION DIGGALIGN FOR DIGGING UP TO 15M	£1,421.00
HA-000958	2 WAY FLOW REVERSAL VALVE UP TO 300LPM	£1,681.00

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X075HD-10	1000MM OUTER EXTENSION - 75MM SQ FEMALE - SUIT A8/RC8 AUGERS	£572.00
X075HD-15	1500MM OUTER EXTENSION - 75MM SQ FEMALE - SUIT A8/RC8 AUGERS	£612.00
X075HD-20	2000MM OUTER EXTENSION - 75MM SQ FEMALE - SUIT A8/RC8 AUGERS	£655.00
X075HD-25	2500MM OUTER EXTENSION - 75MM SQ FEMALE - SUIT A8/RC8 AUGERS	£734.00
X075HD-30	3000MM OUTER EXTENSION - 75MM SQ FEMALE - SUIT A8/RC8 AUGERS	£773.00
X075HD-35	3500MM OUTER EXTENSION - 75MM SQ FEMALE - SUIT A8/RC8 AUGERS	£801.02

EXTENSIONS INCLUDE 1 X PIN & CLIP

NOTE: SEE PAGE 23 FOR RC10/RC11 EXTENSION RANGE

VALID FROM 1ST NOVEMBER 2019



## AUGERS - 75mm SQUARE HUB >>

DIA	A8 - GENERAL PURPOSE AUGER		RC8 - ROCK/EARTH AUGER		DR8 - ROCK AUGER	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
200MM	A8-08-5-MFT	£563.00	RC8-08-5-MFT	£669.00	DR8-08-5	£962.00
225MM	A8-09-5-MFT	£585.00	RC8-09-5-MFT	£718.00	-	-
250MM	A8-10-5-MFT	£587.00	RC8-10-5-MFT	£719.00	DR8-10-5	£1,137.00
300MM	A8-12-5-MFT	£634.00	RC8-12-5-MFT	£788.00	DR8-12-5	£1,295.00
350MM	A8-14-5-MFT	£670.00	RC8-14-5-MFT	£912.00	DR8-14-5	£1,363.00
400MM	A8-16-5-MFT	£751.00	RC8-16-5-MFT	£1,109.00	DR8-16-5	£1,642.00
450MM	A8-18-5-MFT	£832.00	RC8-18-5-MFT	£1,170.00	DR8-18-5	£1,846.00
500MM	A8-20-5-MFT	£999.00	RC8-20-5-MFT	£1,270.00	DR8-20-5	£1,953.00
600MM	A8-24-5-MFT	£1,011.00	RC8-24-5-MFT	£1,439.00	DR8-24-5	£2,148.00
750MM	A8-30-5-MFT	£1,306.00	RC8-30-5-MFT	£1,651.00	DR8-30-5	£3,366.00
800MM	A8-32-5-MFT	£1,866.00	-	-	-	-
900MM	A8-36-5-MFT	£2,036.00	RC8-36-5-MFT	£2,011.00	DR8-36-5	£4,088.00
1000MM	A8-40-5-MFT	£2,158.00	RC8-40-5-MFT	£2,446.00	DR8-40-5	£5,071.00
1200MM	A8-48-5-MFT	£2,252.00	RC8-48-5-MFT	£2,615.00	-	-
1500MM	A8-60-5-MFT	£2,964.00	RC8-60-5-MFT	£3,275.00	-	-

## SPARE WEARPARTS >>

TYPE	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY					
	A8 - MFT		RC8 - TAPER TEETH - MFT		DR8 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TM-3	£19.00	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TM-C-3	£10.55	TTS-3	£11.60	DRP-19T	£97.20
PILOT	PM-HX-3-K	£71.35	PH-3-K	£65.00	DP-000C10	£14.04
			PH-3XL-K	£73.30	DP-C1HDLR	£21.60
HOLDER	TM-H	£13.80	TTD-H	£13.95	DR-WS-T	£35.00
PILOT TOOTH	-	-	-	-		
PILOT HOLDER	-	-	-	-		

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# EXCAVATORS 12t - 50t

LARGE DIAMETER AUGER DRILLING EXTRA HEAVY DUTY ROCK DRILLING

## DRIVE UNITS >>

ORDER CODE	STANDARD OUTPUT SHAFT	TORQUE Nm	REC FLOW (LPM)	MAX PRESSURE (BAR)	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
						RECOM'D AUGER	MAX RECOM'D SIZE 9MM)	RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
<b>SINGLE SPEED</b>										
PD25-7	100MM SQ	26,000	140-230	240 PRV	60	RC10	1500	RC11	2000	£5,147.00
PD30-7	100MM SQ	30,500	140-230	240 PRV	60	RC10	1500	RC11	2000	£5,184.00
PD40-7	100MM SQ	33,000	150-230	240 PRV	60	RC10	1500	RC11	2000	£5,238.00
PD50-7	100MM SQ	38,500	150-230	240 PRV	60	RC10	1500	RC11	2000	£5,282.00
<b>SINGLE SPEED - HIGH POWERED</b>										
PD30HP-7	100MM SQ	30,250	240	345 PRV	60	RC10	1500	RC11	1800	£9,284.20
<b>2 SPEED</b>										
PDT25-7	100MM SQ	27,373	40-180	240 PRV	60	RC10 (PAGE 23)	1600	RC11 (PAGE 23)	1200	£8,917.31
PDT30-7	100MM SQ	31,829	40-180	240 PRV	60	RC10 (PAGE 23)	1600	RC11 (PAGE 23)	1200	£8,972.17
PDT40-7	100MM SQ	33,733	40-180	240 PRV	60	RC10 (PAGE 23)	1800	RC11 (PAGE 23)	1500	£9,026.36
PDT50-7	100MM SQ	39,224	40-180	240 PRV	60	RC10 (PAGE 23)	1800	RC11 (PAGE 23)	1500	£9,081.21

ALL HIGH FLOW DRIVES COME COMPLETE WITH INTERGRATED PRESSURE RELIEF VALVE, 3/4" X 3MTR HOSES, COUPLERS, LINKAGE BLOCK & HOOD PIN

2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

## HITCHES >>

### EXCAVATOR HITCHES

DOUBLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
DPH-000009	65MM DOUBLE PIN	£800.00
DPH-000010	70MM DOUBLE PIN	£825.00
DPH-000011	75MM DOUBLE PIN	£860.00
DPH-000012	80MM DOUBLE PIN	£930.00
DPH-000013	90MM DOUBLE PIN	£1,045.00

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X0100-15	1500MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC10/RC11 AUGERS	£962.00
X0100-20	2000MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC10/RC11 AUGERS	£1,021.00
X0100-25	2500MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC10/RC11 AUGERS	£1,080.00
X0100-30	3000MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC10/RC11 AUGERS	£1,139.00
X0100-35	3500MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC10/RC11 AUGERS	£1,200.00

EXTENSIONS INCLUDE 1 X PIN & CLIP

VALID FROM 1ST NOVEMBER 2019

## OPTIONAL EXTRAS >>

ORDER CODE	DESCRIPTION	GBP
DT-000048	STD DEFINITION DIGGALIGN FOR DIGGING UP TO 6M	£1,356.00
DT-000052	HIGH DEFINITION DIGGALIGN FOR DIGGING UP TO 15M	£1,421.00
HA-000958	2 WAY FLOW REVERSAL VALVE - UP TO 300LPM	£1,681.00

## AUGERS - 100mm SQUARE HUB >>

DIA	RC10 - HEAVY DUTY ROCK / EARTH AUGER		RC11 - EXTRA HEAVY DUTY ROCK/EARTH AUGER		DR11 - ROCK AUGER	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
250MM	RC10-10-7-MFT	£929.00	RC11-10-7-MFT	£933.00	DR11-10-7	£1,967.00
300MM	RC10-12-7-MFT	£985.00	RC11-12-7-MFT	£1,037.00	DR11-12-7	£2,102.00
350MM	RC10-14-7-MFT	£1,139.00	RC11-14-7-MFT	£1,199.00	DR11-14-7	£2,223.00
400MM	RC10-16-7-MFT	£1,385.00	RC11-16-7-MFT	£1,458.00	DR11-16-7	£2,338.00
450MM	RC10-18-7-MFT	£1,462.00	RC11-18-7-MFT	£1,539.00	DR11-18-7	£2,479.00
500MM	RC10-20-7-MFT	£1,587.00	RC11-20-7-MFT	£1,671.00	DR11-20-7	£2,745.00
600MM	RC10-24-7-MFT	£1,799.00	RC11-24-7-MFT	£1,894.00	DR11-24-7	£3,090.00
750MM	RC10-30-7-MFT	£2,063.00	RC11-30-7-MFT	£2,172.00	DR11-30-7	£4,470.00
800MM	RC10-32-7-MFT	£2,179.00	RC11-32-7-MFT	£2,374.00	-	-
900MM	RC10-36-7-MFT	£2,514.00	RC11-36-7-MFT	£2,646.00	DR11-36-7	£5,302.00
1000MM	RC10-40-7-MFT	£3,128.00	RC11-40-7-MFT	£3,221.00	DR11-40-7	£6,420.00
1200MM	RC10-48-7-MFT	£3,269.00	RC11-48-7-MFT	£3,440.00	-	-
1500MM	RC10-60-7-MFT	£4,093.00	RC11-60-7-MFT	£4,309.00	DR11-60-7	£7,243.00

## SPARE WEARPARTS >>

TYPE	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY					
	RC10 - TAPER TEETH - MFT		RC11 - TAPER TEETH - MFT		DR11 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TTD-3	£16.20	TTL-3	£25.80	DP-0C31HD	£21.60
INSIDE TOOTH	TTS-3	£11.60	TTL-3	£25.80		
PILOT	PH-3-K	£65.00	PH-3XL-K	£73.30	DRP-25-T	£116.65
PILOT (FROM 750MM DIA)	PH-3XL-K	£73.30	-	-	-	-
HOLDER	TTD-H	£13.95	TTL-H	£16.20	DP-000C30	£21.60
PILOT TOOTH	-	-	-	-	DP-0C31HD	£21.60
PILOT HOLDER	-	-	-	-	DR-WS-T	£35.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# EXCAVATORS 20t - 50t

## DRIVE UNITS >>

HIGH FLOW AND SD DRILLING DRIVES INCLUDE PRESSURE RELIEF VALVE AND ENERGY CONTROL VALVE  
MAXIMUM POWER - 150KW

ORDER CODE	OUTPUT SHAFT	TORQUE Nm	REC FLOW LPM	MAX PRESSURE BAR	HEAVY DUTY ROCK/EARTH COMBO		GBP
					RECOM'D AUGER	MAX RECOM'D SIZE (MM)	
<b>SINGLE SPEED - HIGH POWERED</b>							
SD45HP-7	100MM SQ	44,150	240	345	RC11	1800MM	£14,055.42
SD55HP-7	100MM SQ	57,750	240	345	RC11	1800MM	£14,811.77
<b>2 SPEED</b>							
SD45-7	100MM SQ	45,000	100-380	240	RC11	1500MM	£23,005.51
SD50-7	100MM SQ	51,000	100-380	240	RC11	1500MM	£23,005.51
SD70-7	100MM SQ	68,000	100-380	240	RC11	1500MM	£23,005.51
SD80-7	100MM SQ	82,000	100-380	240	RC11	1500MM	£23,005.51
SD95-7	100MM SQ	91,000	100-380	240	RC11	1500MM	£23,005.51

2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

## DOUBLE PIN HITCH >>


DOUBLE PIN HITCH		
ORDER CODE	SIZE	GBP
DPH-000009	65MM DOUBLE PIN	£800.00
DPH-000010	70MM DOUBLE PIN	£825.00
DPH-000011	75MM DOUBLE PIN	£860.00
DPH-000012	80MM DOUBLE PIN	£930.00
DPH-000013	90MM DOUBLE PIN	£1,045.00

## LINKAGE >>

ORDER CODE	DESCRIPTION	GBP
HI-000046	130MM SQ LINKAGE TO SUIT SD	£999.00


## RYNO PILING CRADLE >>

ORDER CODE	DESCRIPTION	GBP
HI-001098	TO SUIT SD DRIVES	£2,495.00



## SHIPPING CRADLE >>

ORDER CODE	DESCRIPTION	GBP
Z-003904	SHIPPING & STORAGE CRADLE FOR SD	£1,429.00 POA



DRIVE NOT INCLUDED

## EXTENSIONS >>

ORDER CODE	DESCRIPTION	GBP
X0100HD-15-7	1500MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC11 AUGERS	£1,887.80
X0100HD-20-7	2000MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC11 AUGERS	£1,957.56
X0100HD-25-7	2500MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC11 AUGERS	£2,045.68
X0100HD-30-7	3000MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC11 AUGERS	£2,105.65
X0100HD-35-7	3500MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC11 AUGERS	£2,193.77
X0100HD-40-7	4000MM HD OUTER EXTENSION - 100MM SQ FEMALE - SUITS RC11 AUGERS	£2,263.00

## AUGERS - 100mm SQUARE HUB >>

DIA	RC10 - HEAVY DUTY ROCK / EARTH AUGER		RC11 - EXTRA HEAVY DUTY ROCK/EARTH AUGER		DR11 - ROCK AUGER	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
250MM	RC10-10-7-MFT	£929.00	RC11-10-7-MFT	£933.00	DR11-10-7	£1,967.00
300MM	RC10-12-7-MFT	£985.00	RC11-12-7-MFT	£1,037.00	DR11-12-7	£2,102.00
350MM	RC10-14-7-MFT	£1,139.00	RC11-14-7-MFT	£1,199.00	DR11-14-7	£2,223.00
400MM	RC10-16-7-MFT	£1,385.00	RC11-16-7-MFT	£1,458.00	DR11-16-7	£2,338.00
450MM	RC10-18-7-MFT	£1,462.00	RC11-18-7-MFT	£1,539.00	DR11-18-7	£2,479.00
500MM	RC10-20-7-MFT	£1,587.00	RC11-20-7-MFT	£1,671.00	DR11-20-7	£2,745.00
600MM	RC10-24-7-MFT	£1,799.00	RC11-24-7-MFT	£1,894.00	DR11-24-7	£3,090.00
750MM	RC10-30-7-MFT	£2,063.00	RC11-30-7-MFT	£2,172.00	DR11-30-7	£4,470.00
800MM	RC10-32-7-MFT	£2,179.00	RC11-32-7-MFT	£2,374.00	-	-
900MM	RC10-36-7-MFT	£2,514.00	RC11-36-7-MFT	£2,646.00	DR11-36-7	£5,302.00
1000MM	RC10-40-7-MFT	£3,128.00	RC11-40-7-MFT	£3,221.00	DR11-40-7	£6,420.00
1200MM	RC10-48-7-MFT	£3,269.00	RC11-48-7-MFT	£3,440.00	-	-
1500MM	RC10-60-7-MFT	£4,093.00	RC11-60-7-MFT	£4,309.00	DR11-60-7	£7,243.00

## SPARE WEARPARTS >>

TYPE	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY					
	RC10 - TAPER TEETH - MFT		RC11 - TAPER TEETH - MFT		DR11 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TTD-3	£16.20	TTL-3	£25.80	DP-0C31HD	£21.60
INSIDE TOOTH	TTS-3	£11.60	TTL-3	£25.80	DRP-25-T	£116.65
PILOT	PH-3-K	£65.00	PH-3XL-K	£73.30	-	-
PILOT (FROM 750MM DIA)	PH-3XL-K	£73.30	-	-	-	-
HOLDER	TTD-H	£13.95	TTL-H	£16.20	DP-000C30	£21.60
PILOT TOOTH	-	-	-	-	DP-0C31HD	£21.60
PILOT HOLDER	-	-	-	-	DR-WS-T	£35.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# AUGER DRIVES

## TRUCK CRANES & TELEHANDLERS

### DRIVE UNITS >>

NOTE: RC4 IS THE NEW NAME FOR THE OLD AGS AUGERS

ORDER CODE	OUTPUT SHAFT	TORQUE	REC FLOW (LPM)	MAX PRESSURE (BAR) @ 60LPM	MAX KW	GENERAL AUGERING (OTR)		ROCK/EARTH COMBO		GBP DRIVE UNIT
						RECOM'D AUGER	MAX RECOM'D SIZE	RECOM'D AUGER	MAX RECOM'D SIZE	
<b>SINGLE SPEED</b>										
PDX2-2	65MM RND	2350	30-50	175-240	25	A4TL	600	RC4	450	£1,107.00
PDX3-2	65MM RND	2850	30-55	175-240	25	A4TL	600	RC4	450	£1,107.00
PD3-2	65MM RND	3600	45-75	175-240	25	A4TL	750	RC4	600	£1,302.00
PD4-2	65MM RND	4473	50-85	175-240	25	A4TL	750	RC4	600	£1,302.00
PD4-5	75MM SQ	4473	50-85	175-240	25	A6	1000	RC6	900	£1,323.00
PD5-5	75MM SQ	5166	60-95	175-240	25	A6	1000	RC6	900	£1,491.00
PD6-5	75MM SQ	5607	70-115	175-240	25	A6	1000	RC6	900	£1,739.00
PD7-5	75MM SQ	6048	75-115	175-240	25	A6	1000	RC6	900	£1,739.00
PD8-5	75MM SQ	7056	80-115	175-240	25	A6	1200	RC6	1000	£1,880.00
<b>2 SPEED</b>										
PDT3-2	65MM RND	2,954	20-75	200	25	A4TL	750	RC4	600	£2,575.00
PDT6-5	75MM SQ	4,664	20-75	200	25	A6 (PAGE 17)	1000	RC6 (PAGE 17)	900	£3,015.59
PDT8-5	75MM SQ	5,635	20-75	200	25	A6 (PAGE 17)	1000	RC6 (PAGE 17)	900	£3,112.89

ALL DRIVES COME COMPLETE WITH 2.2MTR X 1/2" HOSES, FF COUPLERS, LINKAGE BLOCK &amp; HOOD PIN

2 SPEED ELECTRICAL KITS NOT INCLUDED. CONTACT DIGGA FOR DETAILS.

### HITCHES / FRAMES >>

#### EXCAVATOR HITCHES

SINGLE PIN HITCH		
ORDER CODE	PIN SIZE	GBP
SPH-000001	25MM SINGLE PIN	£124.20
SPH-000002	30-35MM SINGLE PIN	£135.00
SPH-000003	38-40MM SINGLE PIN	£145.80
SPH-000004	45MM SINGLE PIN	£223.55
SPH-000005	50MM SINGLE PIN	£232.20
SPH-000006	55MM SINGLE PIN	£248.80
SPH-000007	60MM SINGLE PIN	£264.60
SPH-000008	65MM SINGLE PIN	£280.80
DOUBLE PIN HITCH		
DPH-000001	25MM DOUBLE PIN	£275.40
DPH-000002	30-35MM DOUBLE PIN	£301.30
DPH-000003	38-40MM DOUBLE PIN	£321.85
DPH-000004	45MM DOUBLE PIN	£513.00
DPH-000005	50MM DOUBLE PIN	£529.00
DPH-000006	55MM DOUBLE PIN	£540.00
DPH-000007	60MM DOUBLE PIN	£590.00
DPH-000008	65MM DOUBLE PIN	£630.00

#### TELEHANDLER FRAMES

ORDER CODE	DESCRIPTION	GBP
FR-000005	BLANK TELE-HANDLER FRAME	£348.00

MORE FRAMES ARE AVAILABLE ON REQUEST.

VALID FROM 1ST NOVEMBER 2019



## EXTENSIONS >>

### TO SUIT PDX2-2 TO PD4-2

ORDER CODE	DESCRIPTION	GBP
X4-05-2	500MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£127.45
X4-08-2	800MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£130.70
X4-10-2	1000MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£160.90
X4-15-2	1500MM OUTER EXTENSION - SUIT A4TL / RC4 AUGER	£170.65

EXTENSIONS INCLUDE 1 X PIN & CLIP

### TO SUIT PD5-5 TO PD8-5

ORDER CODE	DESCRIPTION	GBP
X075-10-5	1000MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£259.20
X075-15-5	1500MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£312.10
X075-20-5	2000MM OUTER EXTENSION - 75MM SQ - TO SUIT A6/RC6 AUGERS	£330.00

EXTENSIONS INCLUDE 1 X PIN & CLIP

## AUGERS >>

### TO SUIT PDX2 - PD5

DIA	A4TL - GENERAL DRILLING AUGER (OTR)		RC4 - ROCK/EARTH AUGER		DR4 - ROCK AUGER			
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP		
100MM	A4TL-04-2-E	£189.00	A4TL-04-2-MFT	£223.55	-	-	-	-
150MM	A4TL-06-2-E	£221.40	A4TL-06-2-MFT	£286.20	RC4-06-2-MFT	£330.00	DR4-06-2	£451.00
200MM	A4TL-08-2-E	£234.35	A4TL-08-2-MFT	£297.00	RC4-08-2-MFT	£342.00	DR4-08-2	£468.00
225MM	A4TL-09-2-E	£282.95	A4TL-09-2-MFT	£356.00	RC4-09-2-MFT	£409.00	-	-
250MM	A4TL-10-2-E	£285.10	A4TL-10-2-MFT	£357.00	RC4-10-2-MFT	£410.00	DR4-10-2	£560.00
300MM	A4TL-12-2-E	£287.30	A4TL-12-2-MFT	£358.00	RC4-12-2-MFT	£412.00	DR4-12-2	£562.00
350MM	A4TL-14-2-E	£297.00	A4TL-14-2-MFT	£382.00	RC4-14-2-MFT	£444.00	DR4-14-2	£598.00
400MM	A4TL-16-2-E	£349.00	A4TL-16-2-MFT	£442.00	RC4-16-2-MFT	£508.00	DR4-16-2	£694.00
450MM	A4TL-18-2-E	£374.00	A4TL-18-2-MFT	£456.00	RC4-18-2-MFT	£525.00	DR4-18-2	£714.00
500MM	A4TL-20-2-E	£401.00	A4TL-20-2-MFT	£481.00	RC4-20-2-MFT	£553.00	DR4-20-2	£754.00
600MM	A4TL-24-2-E	£475.00	A4TL-24-2-MFT	£566.00	RC4-24-2-MFT	£651.00	DR4-24-2	£888.00
750MM	A4TL-30-2-E	£585.00	A4TL-30-2-MFT	£679.00	RC4-30-2-MFT	£780.00	-	-
900MM	A4TL-36-2-E	£790.00	A4TL-36-2-MFT	£941.00	RC4-36-2-MFT	£1,082.00	-	-

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

## AUGERS >>

### TO SUIT PD6 - PD8

DIA	A6-GENERAL PURPOSE AUGER				RC6-ROCK/EARTH AUGER		DR6-ROCK AUGER	
	LIGHT CONDITIONS EARTH		HEAVY CONDITIONS MFT - HARD GROUND		FRACTURABLE ROCK / EARTH CLAY / SHALE		DEDICATED ROCK ROTATING ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
150MM	A6-06-5-E	£335.00	A6-06-5-MFT	£423.00	RC6-06-5-MFT	£538.00	DR6-06-5	£745.00
200MM	A6-08-5-E	£369.00	A6-08-5-MFT	£458.00	RC6-08-5-MFT	£589.00	DR6-08-5	£749.00
225MM	A6-09-5-E	£376.00	A6-09-5-MFT	£491.00	RC6-09-5-MFT	£646.00	-	-
250MM	A6-10-5-E	£380.00	A6-10-5-MFT	£493.00	RC6-10-5-MFT	£673.00	DR6-10-5	£789.00
300MM	A6-12-5-E	£398.00	A6-12-5-MFT	£515.00	RC6-12-5-MFT	£705.00	DR6-12-5	£875.00
350MM	A6-14-5-E	£438.00	A6-14-5-MFT	£553.00	RC6-14-5-MFT	£733.00	DR6-14-5	£945.00
400MM	A6-16-5-E	£469.00	A6-16-5-MFT	£610.00	RC6-16-5-MFT	£826.00	DR6-16-5	£1,232.00
450MM	A6-18-5-E	£580.00	A6-18-5-MFT	£725.00	RC6-18-5-MFT	£930.00	DR6-18-5	£1,518.00
500MM	A6-20-5-E	£605.00	A6-20-5-MFT	£753.00	RC6-20-5-MFT	£988.00	DR6-20-5	£1,724.00
600MM	A6-24-5-E	£709.00	A6-24-5-MFT	£887.00	RC6-24-5-MFT	£1,142.00	DR6-24-5	£2,116.00
750MM	A6-30-5-E	£900.00	A6-30-5-MFT	£1,029.00	RC6-30-5-MFT	£1,357.00	DR6-30-5	£2,834.00
900MM	A6-36-5-E	£1,124.00	A6-36-5-MFT	£1,271.00	RC6-36-5-MFT	£1,658.00	DR6-36-5	£3,353.00
1000MM	A6-40-5-E	£1,588.00	A6-40-5-MFT	£1,890.00	RC6-40-5-MFT	£2,374.00	-	-
1200MM	A6-48-5-E	£1,990.00	A6-48-5-MFT	£2,266.59	RC6-48-5-MFT	£2,955.00	-	-

## SPARE WEARPARTS >>

### TO SUIT PDX2 - PD5

TYPE	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY							
	A4TL - EARTH		A4TL - MFT		RC4 - TAPER TEETH - MFT		DR4 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TS-1	£3.45	TS-3	£16.05	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TS-C-1	£2.65	TS-C-3	£10.75	TTS-3	£11.60		
PILOT	PM-SQ-1-K	£16.30	PM-SQ-3-K	£72.30	PM-HX-3-K	£71.35	DRP-19-15	£81.00
HOLDER	D665TL	£9.35	D665TL	£9.35	TTD-H	£13.95	DP-000C10	£14.04
PILOT TOOTH	-	-	-	-	-	-	DP-C1HDLR	£21.60
PILOT HOLDER	-	-	-	-	-	-	D627	£35.00

A4TL (AUGER TRULOC PIN): WP-000271 - £0.43

### TO SUIT PD6 - PD8

AUGER DIA	INDIVIDUAL SPARE PARTS - ORDER SEPARATELY							
	A6 - EARTH		A6 -MFT		RC6 - TAPER TEETH - MFT		DR6 - ROCK PICKS	
	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP	ORDER CODE	GBP
OUTER TOOTH	TM-1	£4.75	TM-3	£19.00	TTD-3	£16.20	DP-00C3SR	£21.60
INSIDE TOOTH	TM-C-1	£4.56	TM-C-3	£10.55	TTS-3	£11.60		
PILOT	PM-HX-3-K	£71.35	PM-HX-3-K	£71.35	PM-HX-3-K	£71.35	DRP-19T	£97.20
HOLDER	TM-H	£13.80	TM-H	£13.80	TTD-H	£13.95	DP-000C10	£14.04
PILOT TOOTH	-	-	-	-	-	-	DP-C1HDLR	£21.60
PILOT HOLDER	-	-	-	-	-	-	DR-WS-T	£35.00

VALID FROM 1ST NOVEMBER 2019

# OPTIONAL EXTRAS

## HOSES >>

ORDER CODE	DESCRIPTION	GBP
HS-000066	HOSE KIT - 3/4" - 3000MM LONG - 3/4" FLUSH FACE COUPLERS	£427.00
HS-000018	HOSE KIT - 3/4" - 3000MM LONG - 3/4" ISO COUPLERS	£427.00
HKIT0001	HOSE KIT - 2200MM LONG - PDD-PDX3 DRIVES 1/2" FF COUPLERS	£170.65
HKIT0003	HOSE KIT - 2200MM LONG - PD3-PD10 DRIVES 1/2" FF COUPLERS	£190.10

OPTIONAL HOSES INCLUDE COUPLERS

## FRAMES >>

ORDER CODE	DESCRIPTION	GBP
HI-000133	AVANT PDX HITCH	£270.00
FR-001247	MULTIFIT SKIDSTEER FRAME	£420.00
FR-000005	TELE-HANDLER FRAME	£348.00
FR-001037	BOXER MINI LOADER FRAME	£306.70

MORE FRAMES ARE AVAILABLE ON REQUEST.

Tractors, telescopic handlers, front end loaders and other machines requiring frames will incur a surcharge. Please consult digga for confirmation.

## HITCHES >>

ORDER CODE	DESCRIPTION	GBP
	BACKHOE CRADLE SUIT DRIVES 4,5,6,7	£443.00
	BACKHOE CRADLE SUIT DRIVES 8 - 15	£545.00

## CRADLES >>

ORDER CODE	DESCRIPTION	GBP
HI-000352	CRADLE TO SUIT FRAME - SUIT PDD-PD7 AUGER DRIVES	£167.40
HI-000408	CRADLE TO SUIT FRAME - SUIT PD8-PD10 AUGER DRIVES	£204.10
HI-000409	CRADLE TO SUIT FRAME - SUIT PD12-PD25 AND HI FLOW DRIVES	£396.00

AUGER DRIVES - PD6HF, PD8HF, PD10HF REQUIRE HI-000409

## LINKAGES >>

ORDER CODE	DESCRIPTION	GBP
HI-000393K	75MM RECTANGLE LINKAGE	£63.70
HI-000129K	100MM RECTANGLE LINKAGE	£113.40
HI-000128K	75MM DOG BONE LINKAGE	£63.70

LINKAGES COME WITH ONE PIN AND CLIP

## 2 WAY REVERSAL VALVE >>

ORDER CODE	DESCRIPTION	GBP
HA-000958	SUITS DRIVES PD4HF TO PD50 UP TO 300LPM FLOW REVERSING VALVE, 12V OR 24V SOLENOID, 2 X 1.5/16JIC MALE MACHINE FITTINGS, 2X 1.5/16JIC MALE DRIVE FITTINGS & MOUNTING BRACKET	£1,681.00
HA-000959	SUITS DRIVES PDD TO PD10 UP TO 120LPM FLOW REVERSING VALVE, 12V OR 24V SOLENOID, 2 X 7/8JIC MALE MACHINE FITTINGS, 2X 7/8JIC MALE DRIVE FITTINGS & MOUNTING BRACKET	£492.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# TRENCHERS

## SELECTING THE CORRECT TRENCHER

Digga offer 2 different styles of trencher, BIGFOOT & HYDRIVE, both available in standard duty 1.654" Pitch or heavy duty" Pitch format. There are three different styles of chain configuration options, (see chain options below), and various depths and widths best suited to the customers' requirements and expectations.

## TRENCHER OPTIONS

For the General Earthmoving Contractor, and/or, Hire & rental companies, we would recommend the BIGFOOT trencher, for its ease of operation in being able to maintain a consistent depth via the various settings of the BIGFOOT plate.

For Trenching Contractors and General Contractors with a higher degree of trenching, we would recommend the HYDRIVE TRENCHER. While trenching depth must be controlled manually, the Hydrive offers class leading performance.

## CHAIN OPTIONS

**EARTH**  
**EARTH TEETH ON EVERY SECOND STATION**



Best for soft clean ground. No floaters or tree roots.

**COMBO**  
**70% DIGGATAC TEETH AND 30% EARTH TEETH**



Suitable for most applications. Cuts through hard soils, roots, soft shale and rocky ground

**DIGGATAC**  
**100% DIGGATAC CARBIDE TEETH**



Best for rocky hard shale, asphalt and frozen ground

# TRENCHERS - MINI MACHINES UP TO 1.5T

## MINI BIGFOOT TRENCHER 900MM - 1 5/8" CHAIN

REQUIRED FLOW: 40-90 LPM

SUITABILITY: MINI LOADERS / MINI SKID STEER LOADERS

PRICE INCLUSIONS: UP TO 900MM DIG TRENCHER, CHAIN, BUILT IN FRAME, HOSES & COUPLERS

**NOTE:**

Continuous Operation

Max Flow - Do not exceed 95lpm @ 200bar

Max Pressure - Do not exceed 240bar @ 60lpm

Max Power - Do not exceed 25Kw (34Hp)

### EARTH CHAIN >>

ORDER CODE	DESCRIPTION	GBP
MLT-000015	900MM DIG – 100MM EARTH CHAIN – 4" CRUMBER BAR	£2,671.00
MLT-000019	900MM DIG – 150MM EARTH CHAIN – 6" CRUMBER BAR	£2,688.00
MLT-000023	900MM DIG – 200MM EARTH CHAIN – 8" CRUMBER BAR	£2,718.00

### COMBO >>

ORDER CODE	DESCRIPTION	GBP
MLT-000013	900MM DIG – 100MM COMBO CHAIN – 4" CRUMBER BAR	£2,816.00
MLT-000017	900MM DIG – 150MM COMBO CHAIN – 6" CRUMBER BAR	£2,871.00
MLT-000021	900MM DIG – 200MM COMBO CHAIN – 8" CRUMBER BAR	£2,928.00

### DIGGATAC >>

ORDER CODE	DESCRIPTION	GBP
MLT-000014	900MM DIG – 100MM DIGGATAC CHAIN – 4" CRUMBER BAR	£2,838.00
MLT-000018	900MM DIG – 150MM DIGGATAC CHAIN – 6" CRUMBER BAR	£2,868.00
MLT-000022	900MM DIG – 200MM DIGGATAC CHAIN – 8" CRUMBER BAR	£2,939.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# TRENCHERS - EXCAVATORS UP TO 4.5T

## BIGFOOT TRENCHER 900MM - 1 5/8" CHAIN

REQUIRED FLOW: 50-95 LPM

SUITABILITY: MACHINES 1.5T TO 4.5T

PRICE INCLUSIONS: 600 TO 900MM DIG TRENCHER, CHAIN, 2.2M HOSES & COUPLERS

### NOTE:

Continuous Operation

Max Flow - Do not exceed 95lpm @ 200bar

Max Pressure - Do not exceed 240bar @ 60lpm

Max Power - Do not exceed 25Kw (34Hp)

## EARTH CHAIN >>

ORDER CODE	DESCRIPTION	GBP
BFT-000015	600-900MM DIG – 100MM EARTH CHAIN – 4" CRUMBER BAR	£2,888.00
BFT-000019	600-900MM DIG – 150MM EARTH CHAIN – 6" CRUMBER BAR	£2,969.00
BFT-000023	600-900MM DIG – 200MM EARTH CHAIN – 8" CRUMBER BAR	£3,012.00

## COMBO >>

ORDER CODE	DESCRIPTION	GBP
BFT-000013	600-900MM DIG – 100MM COMBO CHAIN – 4" CRUMBER BAR	£3,091.00
BFT-000017	600-900MM DIG – 150MM COMBO CHAIN – 6" CRUMBER BAR	£3,150.00
BFT-000021	600-900MM DIG – 200MM COMBO CHAIN – 8" CRUMBER BAR	£3,237.00

## DIGGATAC >>

ORDER CODE	DESCRIPTION	GBP
BFT-000014	600-900MM DIG – 100MM DIGGATAC CHAIN – 4" CRUMBER BAR	£3,114.00
BFT-000018	600-900MM DIG – 150MM DIGGATAC CHAIN – 6" CRUMBER BAR	£3,211.00
BFT-000022	600-900MM DIG – 200MM DIGGATAC CHAIN – 8" CRUMBER BAR	£3,298.00

## HITCHES / FRAMES >>

### HITCHES

ORDER CODE	PIN SIZE	GBP
DPH-000001	25 - 30MM	£275.40
DPH-000002	32 - 35MM	£301.30
DPH-000003	38 - 40MM	£321.85
DPH-000004	45MM	£513.00

### FRAMES

ORDER CODE	DESCRIPTION	GBP
FR-000451	AVANT BRACKET	£208.00
FR-000005	TELEHANDLER BLANK	£348.00
FR-001247	MULTI-FIT HEAVY DUTY	£420.00

VALID FROM 1ST NOVEMBER 2019



## HYDRIVE TRENCHER 1200MM- 1 5/8" CHAIN

REQUIRED FLOW: 50-80 LPM

SUITABILITY: MACHINES UP TO 4.5T

PRICE INCLUSIONS: UP TO 1200MM DIG TRENCHER, CHAIN, 2.2M HOSES & COUPLERS

### NOTE:

Continuous Operation

Max Flow - Do not exceed 75lpm @ 200bar

Max Pressure - Do not exceed 240bar @ 60lpm

Max Power - Do not exceed 25Kw (34Hp)

### COMBO >>

ORDER CODE	DESCRIPTION	GBP
HDT-000001	1200MM DIG – 100MM COMBO CHAIN – 4" CRUMBER BAR	£3,496.00
HDT-000002	1200MM DIG – 150MM COMBO CHAIN – 6" CRUMBER BAR	£3,575.00
HDT-000005	1200MM DIG – 200MM COMBO CHAIN – 8" CRUMBER BAR	£3,657.00
HDT-000006	1200MM DIG – 250MM COMBO CHAIN – 10" CRUMBER BAR	£3,674.00
HDT-000007	1200MM DIG – 300MM COMBO CHAIN – 12" CRUMBER BAR	£3,752.00

### DIGGATAC >>

ORDER CODE	DESCRIPTION	GBP
HDT-000015	1200MM DIG – 100MM DIGGATAC CHAIN – 4" CRUMBER BAR	£3,521.00
HDT-000003	1200MM DIG – 150MM DIGGATAC CHAIN – 6" CRUMBER BAR	£3,604.00
HDT-000019	1200MM DIG – 200MM DIGGATAC CHAIN – 8" CRUMBER BAR	£3,664.00
HDT-000022	1200MM DIG – 250MM DIGGATAC CHAIN – 10" CRUMBER BAR	£3,725.00
HDT-000025	1200MM DIG – 300MM DIGGATAC CHAIN – 12" CRUMBER BAR	£3,805.00

### HITCHES / FRAMES >>

#### HITCHES

ORDER CODE	PIN SIZE	GBP
DPH-000001	25 - 30MM	£275.40
DPH-000002	32 - 35MM	£301.30
DPH-000003	38 - 40MM	£321.85
DPH-000004	45MM	£513.00

#### FRAMES

ORDER CODE	DESCRIPTION	GBP
FR-001247	MULTI-FIT HEAVY DUTY	£420.00
FR-000005	TELEHANDLER BLANK	£348.00

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# TRENCHERS - EXCAVATORS 4.5T TO 8T

## BIGFOOT XD TRENCHER 1200MM - 2" CHAIN

REQUIRED FLOW: 60-115 LPM

SUITABILITY: MACHINES 4.5T TO 8T

PRICE INCLUSIONS: 600 TO 1200MM DIG TRENCHER, CHAIN, 2.2M HOSES & COUPLERS

**NOTE:**

Continuous Operation

Max Flow - Do not exceed 95lpm @ 200bar

Max Pressure - Do not exceed 240bar @ 60lpm

Max Power - Do not exceed 25Kw (34Hp)

### COMBO >>

ORDER CODE	DESCRIPTION	GBP
BFT2-000001	1200MM DIG – 150MM COMBO CHAIN – 6" HD CRUMBER BAR	£4,421.00
BFT2-000005	1200MM DIG – 200MM COMBO CHAIN – 8" HD CRUMBER BAR	£4,576.00
BFT2-000009	1200MM DIG – 250MM COMBO CHAIN – 10" HD CRUMBER BAR	£4,695.00
BFT2-000013	1200MM DIG – 300MM COMBO CHAIN – 12" HD CRUMBER BAR	£4,851.00

### DIGGATAC >>

ORDER CODE	DESCRIPTION	GBP
BFT2-000002	1200MM DIG – 150MM DIGGATAC CHAIN – 6" HD CRUMBER BAR	£4,458.00
BFT2-000006	1200MM DIG – 200MM DIGGATAC CHAIN – 8" HD CRUMBER BAR	£4,616.00
BFT2-000010	1200MM DIG – 250MM DIGGATAC CHAIN – 10" HD CRUMBER BAR	£4,733.00
BFT2-000014	1200MM DIG – 300MM DIGGATAC CHAIN – 12" HD CRUMBER BAR	£4,926.00

## BIGFOOT XD HIGH FLOW TRENCHER 1500MM - 2" CHAIN

REQUIRED FLOW: 105-170 LPM

SUITABILITY: MACHINES 4.5T TO 8T

PRICE INCLUSIONS: 600 TO 1200MM DIG TRENCHER, CHAIN, 2.2M HOSES & COUPLERS

**NOTE:**

Continuous Operation

Max Flow - Do not exceed 170lpm @ 180bar

Max Pressure - Do not exceed 240bar @ 130lpm

Max Power - Do not exceed 50Kw (67Hp)

### COMBO >>

ORDER CODE	DESCRIPTION	GBP
BFT2-000101	1500MM DIG – 150MM COMBO CHAIN – 6" HD CRUMBER BAR	£4,799.00
BFT2-000105	1500MM DIG – 200MM COMBO CHAIN – 8" HD CRUMBER BAR	£5,027.00
BFT2-000109	1500MM DIG – 250MM COMBO CHAIN – 10" HD CRUMBER BAR	£5,167.00
BFT2-000113	1500MM DIG – 300MM COMBO CHAIN – 12" HD CRUMBER BAR	£5,373.00

### DIGGATAC >>

ORDER CODE	DESCRIPTION	GBP
BFT2-000102	1500MM DIG – 150MM DIGGATAC CHAIN – 6" HD CRUMBER BAR	£4,967.00
BFT2-000106	1500MM DIG – 200MM DIGGATAC CHAIN – 8" HD CRUMBER BAR	£5,146.00
BFT2-000110	1500MM DIG – 250MM DIGGATAC CHAIN – 10" HD CRUMBER BAR	£5,460.00
BFT2-000114	1500MM DIG – 300MM DIGGATAC CHAIN – 12" HD CRUMBER BAR	£5,889.83

### HITCHES / FRAMES >>

#### HITCHES

ORDER CODE	PIN SIZE	GBP
DPH-000005	50MM	£524.00
DPH-000006	55MM	£540.00
DPH-000007	60MM	£567.00
DPH-000008	65MM	£621.00

#### FRAMES

ORDER CODE	DESCRIPTION	GBP
FR-000005	TELEHANDLER BLANK	£348.00
FR-001247	MULTI-FIT HEAVY DUTY	£420.00

VALID FROM 1ST NOVEMBER 2019

## HYDRIVE XD TRENCHER 1200MM - 2" CHAIN

REQUIRED FLOW: 60-115 LPM

SUITABILITY: MACHINES UP TO 8T

PRICE INCLUSIONS: UP TO 1200MM DIG TRENCHER, CHAIN, 2.2M HOSES & COUPLERS

**NOTE:**

Continuous Operation

Max Flow - Do not exceed 115lpm @ 130bar

Max Pressure - Do not exceed 240bar @ 60lpm

Max Power - Do not exceed 25Kw (34Hp)

### COMBO >>

ORDER CODE	DESCRIPTION	GBP
HDT2-000001	1200MM DIG – 150MM COMBO CHAIN – 6" HD CRUMBER BAR	£4,403.00
HDT2-000003	1200MM DIG – 200MM COMBO CHAIN – 8" HD CRUMBER BAR	£4,585.00
HDT2-000004	1200MM DIG – 250MM COMBO CHAIN – 10" HD CRUMBER BAR	£4,772.00
HDT2-000015	1200MM DIG – 300MM COMBO CHAIN – 12" HD CRUMBER BAR	£5,037.00
HDT2-000018	1200MM DIG – 350MM COMBO CHAIN – 14" HD CRUMBER BAR	£5,335.00

### DIGGATAC >>

ORDER CODE	DESCRIPTION	GBP
HDT2-000002	1200MM DIG – 150MM DIGGATAC CHAIN – 6" HD CRUMBER BAR	£4,446.00
HDT2-000009	1200MM DIG – 200MM DIGGATAC CHAIN – 8" HD CRUMBER BAR	£4,633.00
HDT2-000012	1200MM DIG – 250MM DIGGATAC CHAIN – 10" HD CRUMBER BAR	£4,825.00
HDT2-000016	1200MM DIG – 300MM DIGGATAC CHAIN – 12" HD CRUMBER BAR	£5,097.00
HDT2-000019	1200MM DIG – 350MM DIGGATAC CHAIN – 14" HD CRUMBER BAR	£5,399.00

### TRENCHER SPARE PARTS >>

FOR BIGFOOT AND HYDRIVE TRENCHERS

ORDER CODE	DESCRIPTION	GBP
W-000081	CUP TOOTH - 1.654" - LEFT HAND (CH1)	£9.50
W-000083	CUP TOOTH - 1.654" - RIGHT HAND (CH2)	£9.50
TDC	TOOTH - 1.654" CENTRE CUTTER DIGGATAC	£11.05
TDL	TOOTH - 1.654" LEFT HAND CUTTER DIGGATAC	£11.05
TDR	TOOTH - 1.654" RIGHT HAND CUTTER DIGGATAC	£11.05
TR-000870	NOSE ROLLER KIT - 1.5/8" - COMPLETE WITH BEARING & CIRCLIP	£68.05

FOR BIGFOOT XD AND HYDRIVE XD TRENCHERS

ORDER CODE	DESCRIPTION	GBP
W-000097	CUP TOOTH - 2" - RIGHT HAND (2CH1)	£12.10
W-000099	CUP TOOTH - 2" - LEFT HAND (2CH2)	£12.10
2TDC	TOOTH - 2" CENTRE CUTTER DIGGATAC	£12.75
2TDL	TOOTH - 2" LEFT HAND CUTTER DIGGATAC	£12.75
2TDR	TOOTH - 2" RIGHT HAND CUTTER DIGGATAC	£12.75
TR-000871	NOSE ROLLER KIT - 2" - COMPLETE WITH BEARING & CIRCLIP	£142.20

VALID FROM 1ST NOVEMBER 2019


All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# ONE MAN POST HOLE BORER

AUGER SOLD SEPARATELY

ORDER CODE	DESCRIPTION	GBP
OM-000068	ONE MAN PHB-9HP HONDA MOTOR	£2,693.00

PRICE INCLUSIONS: ONE MAN MACHINE - PURCHASE AUGERS SEPARATELY



## AUGERS TO SUIT ONE MAN BORER - A1

AUGER SPECS: STIHL STYLE HUB - 960MM OAL - 6MM FLIGHTS - SINGLE CUT BORING HEAD

DIA	GENERAL EARTH DRILLING			
	LIGHT CONDITIONS EARTH		STANDARD CONDITIONS TUNGSTEN CARBIDE	
	ORDER CODE	GBP	ORDER CODE	GBP
100MM	A1-04-S2-E	£144.85	A1-04-S-MFT	£204.10
150MM	A1-06-S2-E	£183.80	A1-06-S-MFT	£255.95
200MM	A1-08-S2-E	£191.85	A1-08-S-MFT	£267.85
225MM	A1-09-S2-E	£211.35	A1-09-S-MFT	£303.50
250MM	A1-10-S2-E	£215.20	A1-10-S-MFT	£307.80
300MM	A1-12-S2-E	£227.10	A1-12-S-MFT	£316.45
325MM	A1-13-S2-E	£250.95	A1-13-S-MFT	£342.00

## EXTENSIONS TO SUIT A 1 AUGER >>

ORDER CODE	DESCRIPTION	GBP
X1-05-S	500MM EXTENSION	£129.12

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# WEARPARTS





### HEAVY CONDITIONS

Compacted soils, heavy clay, asphalt, concrete, frozen ground, fracturable and soft rock



### LIGHT CONDITIONS

Light to moderate ground conditions


MACHINES UP TO 5T  
SUITS AUGER: A4



MACHINES 5-30T  
SUITS AUGER: A6 / A8



MACHINES UP TO 4T  
SUITS AUGER: RC4



MACHINES UP TO 50T  
SUITS AUGER: RC6 / RC8 / RC10 / RC11



**TRULOC TEETH**

DIGGA'S NEW TRULOC AUGER TEETH PROVIDE A 3-WAY LOCKING SYSTEM, EASY TO REMOVE PIN, AND ANTI-TWIST CHANNELS.

TRULOC TEETH CAN BE KNOCKED IN & OUT WITHOUT THE USE OF SPECIAL TOOLS AND USE A D665TL AUGER POCKET AND CAN ALSO BE USED ON PRE-2016 AUGERS WITH D665 TYPE POCKETS.

**PADLOC TEETH**

THE PADLOC ADVANCED TOOTH LOCKING SYSTEM ENSURE THE TOOTH IS LOCKED IN TIGHT WITH A 1-STEP KNOCK-IN/KNOCK-OUT PROCESS.

PADLOCK TEETH DO NOT REQUIRE THE USE OF SPECIAL TOOLS TO INSERT OR REMOVE AND WILL FIT MOST TYPES OF POCKETS - EXCLUDING D665TL TRULOC POCKETS.



**QUALITY WEARPARTS**

OUR EXTENSIVE RANGE OF WEAR PARTS ARE DESIGNED TO SUIT MOST AUGERS AND GROUND CONDITIONS.

DIGGA WEAR PARTS ARE PRODUCED TO THE HIGHEST QUALITY & UTILISE PREMIUM GRADE TUNGSTEN CARBIDE TO ENSURE MAXIMUM WEAR LIFE.

## ROTATING ROCK PICKS & PILOTS

ROTATING ROCK PICKS		DEDICATED ROCK PILOT TEETH		PILOTS		
SUITS AUGER: DR4-DR8 19MM	SUITS AUGER: DR11 25MM	SUITS AUGER: DR4-DR8 19MM	SUITS AUGER: DR11 25MM	SUITS AUGER: DR4 19MM	SUITS AUGER: DR6-DR8 19MM	SUITS AUGER: DR11 25MM
DP-00C3SR POCKET - DP-00C10	DP-0C31HD POCKET - DP-00C30	DP-C1HDLR PILOT - DRP-19-15 / DRP-19T	DP-0C31HD PILOT - DRP-25T	DRP-19-15 PILOT DRIVE - HEX	DRP-19T PILOT DRIVE - TANG	DRP-25T PILOT DRIVE - TANG

VALID FROM 1ST NOVEMBER 2019

All prices are EXCLUSIVE of VAT. Dealer preparation and freight not included - Errors and omissions - The content found herein may contain inaccuracies and typographical errors and Digga does not warrant the accuracy, reliability and completeness of any such information. We reserve the right to revise the content of this publication at any time without notice

# HITCH ORDER FORM



SALES PERSON:

DATE:

REQUESTED SHIPPING DATE:

ORDER NO.

## CUSTOMER INFORMATION >>

COMPANY NAME:

CONTACT NAME:

TELEPHONE NUMBER:

FAX NUMBER:

MOBILE NUMBER:

EMAIL ADDRESS:

POSTAL ADDRESS:  POST CODE:

## MACHINE DETAILS (EXCAVATOR) >>

MANUFACTURER:



MACHINE YEAR:

MACHINE MODEL:

MACHINE WEIGHT:

## HITCH REQUIREMENTS >>

SINGLE PIN





ATTACHMENT PART NUMBER

### LINKAGE BLOCK OPTIONS TO FIT EXISTING DRIVE UNIT

75MM (3")  100MM (4")  130MM (5")

200MM (8")  CUSTOM

LOOSE PIN



### MEASUREMENTS OF YOUR MACHINES BUCKET

(A) DISTANCE BETWEEN PIN CENTRES

(B) BACK PIN DIAMETER




(C) FRONT PIN DIAMETER

(D) DISTANCE BETWEEN BACK EARS

(E) DISTANCE BETWEEN FRONT EARS




*NOTE: (A), (B) & (D) NOT REQUIRED FOR SINGLE PIN HITCH*

FIXED PIN (QUICK HITCH)





CRADLE HITCH (EXCAVATOR)

CRADLE HITCH (BACKHOE)



SWING CONTROL SYSTEM



CUSTOMER NAME:

SIGN:

Digga accepts no liability or the consequences of any actions taken on the basis of the information provided on this form and will not undertake said work until a signed copy is returned.

**PLEASE RETURN / EMAIL FORM TO INFOUK@DIGGA.COM**



**+44 (0) 1488 688 550 WWW.DIGGAEUROPE.COM**









### **DIGGA UK**

UNIT 6, SMITHAM BRIDGE ROAD  
HUNGERFORD TRADING ESTATE  
HUNGERFORD, BERKSHIRE RG17 0QU, UK

PH: +44 (0) 1488 688 550  
MOBILE: +44 (0) 7739 754 161  
EMAIL: INFOUK@DIGGA.COM  
WWW.DIGGAEUROPE.COM

### **DIGGA AUSTRALIA**

4 OCTAL STREET  
YATALA QLD 4207  
AUSTRALIA

PH: +61 (0) 7 3807 3330  
MOBILE: +61 (0) 418 343 241  
EMAIL: INFO@DIGGA.COM  
WWW.DIGGA.COM

### **DIGGA NORTH AMERICA**

2325 INDUSTRIAL PARKWAY SW  
DYERSVILLE, IA 52040  
USA

PH: +1 563 875 7915  
CELL: +1 563 845 9166  
EMAIL: INFOUS@DIGGA.COM  
WWW.DIGGAUSA.COM